

Arkansas Pollution Control and Ecology Commission

Regulation 2



Regulation Establishing Water Quality Standards for Surface Waters of the State of Arkansas

August 2002

Arkansas Pollution Control and Ecology Commission
Regulation No. 2, As Amended

**Regulation Establishing
Water Quality Standards for Surface Waters
of the State of Arkansas**

Table of Contents

| | |
|---|-----|
| CHAPTER ONE: AUTHORITY, GENERAL PRINCIPLES, AND COVERAGE | 1-1 |
| Section 2.101-Authority | 1-1 |
| Section 2.102-Purpose | 1-1 |
| Section 2.103-Commission Review | 1-2 |
| Section 2.104-Policy for Compliance | 1-2 |
| Section 2.105-Environmental Improvement Projects | 1-2 |
| Section 2.106-Definitions | 1-2 |
| | |
| CHAPTER TWO: ANTIDegradation Policy | 2-1 |
| Section 2.201-Existing Uses | 2-1 |
| Section 2.202-High Quality Waters | 2-1 |
| Section 2.203-Outstanding Resource Waters | 2-1 |
| Section 2.204-Thermal Discharges | 2-1 |
| | |
| CHAPTER THREE: WATERBODY USES | 3-1 |
| Section 2.301-Introduction | 3-1 |
| Section 2.302-Designated Uses | 3-1 |
| Section 2.303-Use Attainability Analysis | 3-6 |
| Section 2.304-Physical Alteration of Habitat | 3-7 |
| Section 2.305-Short Term Activity Authorization | 3-7 |
| Section 2.306-Procedures for Removal of Any Designated Use Except Fishable/Swimmable, and Modification of Water Quality Criteria not related to Fishable/Swimmable Uses | 3-8 |
| Section 2.307-Use Subcategories | 3-8 |
| Section 2.308-Site Specific Criteria | 3-9 |
| Section 2.309-Temporary Variance | 3-9 |
| | |
| CHAPTER FOUR: GENERAL STANDARDS | 4-1 |
| Section 2.401-Applicability | 4-1 |
| Section 2.402-Nuisance Species | 4-1 |
| Section 2.403-Methods | 4-1 |
| Section 2.404-Mixing Zones | 4-1 |
| Section 2.405 -(Reserved) | 4-2 |
| Section 2.406-Color | 4-2 |
| Section 2.407-Taste and Odor | 4-2 |

| | |
|--|------|
| Section 2.408-Solids, Floating Material and Deposits | 4-2 |
| Section 2.409-Toxic Substances | 4-2 |
| Section 2.410-Oil and Grease | 4-3 |
| | |
| CHAPTER FIVE: SPECIFIC STANDARDS | 5-1 |
| Section 2.501-Applicability | 5-1 |
| Section 2.502-Temperature | 5-2 |
| Section 2.503-Turbidity | 5-2 |
| Section 2.504-pH | 5-2 |
| Section 2.505-Dissolved Oxygen | 5-2 |
| Section 2.506-Radioactivity | 5-4 |
| Section 2.507-Bacteria | 5-5 |
| Section 2.508-Toxic Substances | 5-5 |
| Section 2.509-Nutrients | 5-7 |
| Section 2.510-Oil and Grease | 5-8 |
| Section 2.511-Mineral Quality | 5-8 |
| | |
| CHAPTER SIX: EFFECTIVE DATE | 6-1 |
| | |
| APPENDIX A: Designated Uses, Specific Standards and Maps of Waters of the State by Ecoregions | A-1 |
| Map of Ecoregions of Arkansas | A-3 |
| Ozark Highlands Ecoregion | A-5 |
| Boston Mountains Ecoregion | A-13 |
| Arkansas River Valley Ecoregion | A-19 |
| Ouachita Mountain Ecoregion | A-25 |
| Gulf Coastal Ecoregion | A-31 |
| Delta Ecoregion | A-39 |
| | |
| APPENDIX B: Environmental Improvement Project | B-1 |
| | |
| APPENDIX C: Scientific Names of Fishes | C-1 |

ARKANSAS POLLUTION CONTROL AND ECOLOGY COMMISSION

Regulation No. 2, As Amended

Regulation Establishing Water Quality Standards for Surface Waters of the State of Arkansas

CHAPTER ONE: AUTHORITY, GENERAL PRINCIPLES, AND COVERAGE

Section 2.101 Authority

Pursuant to the provisions of SubChapter 2 of the Arkansas Water and Air Pollution Control Act (Act 472 of the Acts of Arkansas for 1949, as amended; Ark. Code Ann. 8-4-101 et seq, and in compliance with the requirements of the Federal Water Pollution Control Act, as amended, the Arkansas Pollution Control and Ecology Commission, (hereinafter referred to as "Commission") hereby promulgates this Regulation No. 2, as amended, establishing water quality standards for all surface waters, interstate and intrastate, of the State of Arkansas.

Section 2.102 Purpose

The water quality standards herein set forth are based upon present, future and potential uses of the surface waters of the State and criteria developed from statistical evaluations of past water quality conditions and a comprehensive study of least-disturbed, ecoregion reference streams. The standards are designed to enhance the quality, value and beneficial uses of the water resources of the State of Arkansas, to aid in the prevention, control and abatement of water pollution, to provide for the protection and propagation of fish and wildlife and to provide for recreation in and on the water. In establishing these standards, the Commission has taken into consideration the use and value of the streams for public water supplies, commercial, industrial and agricultural uses, aesthetics, recreational purposes, propagation of fish and wildlife, other beneficial uses, and views expressed at public hearings. The State of Arkansas has an exceptionally large volume of high quality water. With few exceptions the streams and lakes of Arkansas contain waters of a quality suitable for all legitimate uses without the necessity of unreasonable water treatment. Where man-made pollution exists, substantial progress has been made in abatement. It is the purpose of these regulations to preserve and protect the quality of

this water so that it shall be reasonably available for all beneficial uses and thus promote the social welfare and economic well-being of the people of the State. It is further the purpose of these regulations to designate the uses for which the various waters of the State shall be maintained and protected; to prescribe the water quality standards required to sustain the designated uses; and to prescribe regulations necessary for implementing, achieving and maintaining the prescribed water quality.

Section 2.103 Commission Review

The water quality standards herein established will be reviewed by the Commission at least once each three-year period beginning as of October 18, 1972, and revisions may be made to take into account changing technology of waste production, treatment and removal, advances in knowledge of water quality requirements, and other relevant factors.

Section 2.104 Policy for Compliance

It shall be the policy of the Department to provide, on a case-by-case basis, a reasonable time for an existing facility to comply with new or revised water quality based effluent limits. Consequently, compliance schedules may be included in NPDES permits at the time of renewal to require compliance with new water quality standards at the earliest practicable time; but not to exceed three years from effective date of permit.

Section 2.105 Environmental Improvement Projects

The Commission may, after consideration of the information provided pursuant to Appendix B, grant modifications to the General and Specific Standards (Chapters 4 and 5, herein) or establish a subcategory (ies) of use(s) (Section 2.307, herein) for completion of long term Environmental Improvement Projects (EIP).

Section 2.106 Definitions

304(a) Guidance: Refers to Section 304(a) of the Clean Water Act which requires the Environmental Protection Agency to publish and periodically update ambient water quality criteria which will be protective of human health and the environment.

Abatement: The reduction in degree or intensity of pollution.

Act: Clean Water Act, as amended (33 U.S.C. 1251, et. seq.)

Acute toxicity: A statistically significant difference (at the 95 percent confidence level) in mortality or immobilization between test organisms and a control measured during a specified period of time which is normally less than 96 hours.

Algae: Simple plants without roots, stems or leaves which contain chlorophyll and are capable of photosynthesis.

Aquatic biota: All those life forms which inhabit the aquatic environment.

Chronic Toxicity: A statistically significant difference (at the 95 percent confidence level) in mortality or immobilization, reduced reproduction or limited growth between test organisms and a control measured during a substantial segment of the life span of the test organism.

Continuing Planning Process (CPP): A document which describes the principal processes of the State's water quality management programs. The CPP is not a regulation.

Critical flows: The flow volume used as background dilution flows in calculating concentrations of pollutants from permitted discharges. These flows may be adjusted for mixing zones. The following critical flows are applicable:

For a seasonal fishery - 1 cfs minus the design flow of any point source discharge (may not be less than zero).

For human health criteria - harmonic mean flow or long term average flow.

For minerals criteria - harmonic mean flow or 4 cfs, except in those waters listed in Section 2.510. Those waters in Section 2.510 which are noted with an asterisk will have a critical flow of 4 cfs. (Also see minerals implementation procedure in CPP)

For all others - the critical flow will be Q7-10.

Critical season: That period of the year when water temperatures exceed 22°C. This is normally the hot, dry season and after the majority of the fish spawning activities have ceased. This season occurs during a different time frame in different parts of the state, but normally exists from about mid-May to mid-September.

Cumulative: Increasing by successive additions.

Degradation: The act or process of causing any decrease in quality.

Design Flow: A facility discharge flow of process wastewater that is authorized in a NPDES permit

Designated Uses: Those uses specified in the water quality standards for each waterbody or stream segment whether or not they are being attained.

Discharge: A discrete point source of waste or wastewater entering into waters of the State.

Dissolved oxygen (DO): A measure of the concentration of oxygen in solution in a liquid.

Ecoregion: A large area of landscape with relatively homogenous physical, chemical and biological characteristics.

Endemic: Native to and confined to a specific region.

Existing Uses: Those uses listed in Section 303 (c)(2) of the Act (i.e., public water supplies, propagation of fish and wildlife, recreational uses, agricultural and industrial water supplies and navigation) which were actually attained in the waterbody on or after November 28, 1975, whether or not they are included in the water quality standards.

Fecal coliform bacteria: Gram-negative nonspore-forming rods that ferment lactose in 24 ± 2 hours at $44.5 \pm 0.2^\circ\text{C}$ with the production of gas in a multiple-tube procedure or produce acidity with blue colonies in a membrane filter procedure. For the purpose of this regulation, the genus *Klebsiella* is not included in this definition.

Fishable/swimmable: Refers to one of the national goals of the Clean Water Act as stated in Section 101(a)(2), "...provides for the protection and propagation of fish, shellfish and wildlife and provides for recreation in and on the water."

Fishery: The designated use of a waterbody determined by the fish community and other associated aquatic life.

Hardness: A measure of the sum of multivalent metallic cations expressed as calcium carbonate (CaCO_3).

Harmonic Mean Flow: The reciprocal of the mean of the reciprocals of daily flow measurements.

Headwater: The source of a stream.

Heavy metals: A general name given to the ions of metallic elements heavier than iron, such as cadmium, lead, mercury, copper, zinc and chromium.

Human Health Criteria: Levels of toxicants in ambient water which will not manifest adverse health effects in humans.

Hypolimnion: That portion of a thermally stratified lake or reservoir below the zone in which the rate of temperature change is greatest. An area of minimal circulation and mixing.

Indicator species: Species of fish which may not be dominant within a species group and may not be limited to one area of the state, but which, because of their presence, are readily associated with a specific ecoregion. All indicator species need not be present to establish a normal or representative fishery.

Indigenous: Produced, growing or living naturally in a particular region or environment.

Interstate: Of, connecting, or existing between two or more states.

Intrastate: Existing or occurring within a state.

Ionizing radiation: Gamma rays and x-rays; alpha and beta particles, high speed electrons, neutrons, protons and other nuclear particles; but not sound or radio waves, or visible, infrared or ultraviolet light.

Key species: Fishes which are normally the dominant species (except for some ubiquitous species) within the important groups such as fish families or trophic feeding levels. All specified key species need not be present to establish a normal or representative fishery.

Long Term Average Flow: An average annual stream flow based on a period of record which reflects the typical annual variability.

Milligrams per liter (mg/l): The concentration at which one milligram is contained in a volume of one liter; one milligram per liter is equivalent to one part per million (ppm) at unit density.

Mixing zone: An area where an effluent discharge undergoes mixing with the receiving waterbody. For toxic discharges a zone of initial dilution, (ZID) may be allowed within the mixing zone.

Mouth: The point of confluence where a stream enters a larger body of water.

Nonpoint source: A contributing factor to water pollution that is not confined to an end-of-the-pipe discharge, i.e., stormwater runoff, agricultural or silvicultural runoff, irrigation return flows, etc.

NTU (Nephelometric Turbidity Unit): A measure of turbidity based upon a comparison of the intensity of light scattered by a sample of water under defined conditions with the intensity of light scattered by a standard reference suspension; NTU

are considered comparable to the previously reported JTU (Jackson Turbidity Units). May also be reported as FTU (Formazin Turbidity Units) in equivalent units.

Nuisance species: Those organisms capable of interfering with the beneficial use of water.

Nutrient: Any substance assimilated by an organism which promotes growth and replacement of cellular constituents. The usual nutrient components of water pollution are nitrogen, phosphorus and carbon.

Objectionable algal densities: Numbers of total algae which would interfere with a beneficial use (expressed as cells per liter).

Persistent: Degraded only slowly by the environment.

pH: The negative logarithm of the effective hydrogen-ion concentration in gram equivalents per liter.

Picocurie: One trillionth (10^{-13}) of a curie which is a unit of quantity of any radioactive nuclide in which 3.7×10^{10} disintegrations occur per second.

Point source: A discharge from a discrete point.

Q7-10: A flow volume equal to or less than the lowest mean discharge during 7 consecutive days of a year which, on the average, occurs once every 10 years.

Primary season: That period of the year when water temperatures are 22°C or below. This includes the major part of the year from fall through spring, including the spawning season of most fishes. It normally occurs from about mid-September to mid-May.

Primary Season Critical flow: A flow volume equal to the lowest mean discharge during 7 consecutive days during the period when stream flows increase substantially and water temperatures are cooler and, on the average, occurs once in every 10 years. In streams with watersheds less than 10 mi² this flow is one(1) CFS minus the design flow of any point source discharge.

Regulated-flow stream: Those streams restricted by structures which have the ability to control stream flow.

Seasonal fishery: The designated fishery use that occurs in some waterbodies only during the period when stream flows increase substantially and water temperatures are cooler. This is normally during the months of December through May.

Surface water: That water contained on the exterior or upper portion of the earth's surface as opposed to groundwater.

Synergism: Cooperative action of discrete agents such that the total effect is greater than the sum of the effects taken independently.

Total dissolved solids (TDS): The total soluble organic and inorganic material contained in water; includes those materials, both liquid and solid, in solution and otherwise, which pass through a standard glass fiber filter disk and are not volatilized during drying at 180°C.

Trout fishery: Water which is suitable for the growth and survival of trout, usually characterized as high quality water having a maximum summer temperature of 68°F or less.

Use attainability analysis: A structured scientific assessment of the factors affecting the attainment of the fishable/swimmable use which may include physical, chemical, biological and economic factors.

Waterbodies, waterways, waters: In this document, refers to surface waters of the state as described in Act 472.

Water Effects Ratio (WER): A specific pollutant's acute or chronic value measured from a specific site ambient water, divided by the respective acute or chronic toxicity of the same pollutant in laboratory water.

Zone of Initial Dilution (ZID): An area within the mixing zone where a toxic effluent discharge initiates mixing in the receiving waterbody. This is an area where acute water quality criteria may be exceeded, but acute toxicity may not occur.

CHAPTER TWO: ANTIDEGRADATION POLICY

Section 2.201 Existing Uses

Existing instream water uses and the level of water quality necessary to protect the existing uses shall be maintained and protected.

Section 2.202 High Quality Waters

Where the quality of the waters exceeds levels necessary to support propagation of fish, shellfish and wildlife and recreation in and on the water, that quality shall be maintained and protected unless the State finds, after full satisfaction of the intergovernmental coordination and public participation provisions of the State's continuing planning process, that allowing lower water quality is necessary to accommodate important economic or social development in the area in which the waters are located. In allowing such degradation or lower water quality, the State shall assure water quality adequate to protect existing uses fully. Further, the State shall assure that (1) there shall be achieved the highest statutory and regulatory requirements for all new and existing point sources and (2) that the provisions of the Arkansas Water Quality Management Plan be implemented with regard to nonpoint sources.

Section 2.203 Outstanding Resource Waters

Where high quality waters constitute an outstanding state or national resource, such as those waters designated as extraordinary resource waters, ecologically sensitive or natural and scenic waterways, those uses and water quality for which the outstanding waterbody was designated shall be protected by (1) water quality controls, (2) maintenance of natural flow regime, (3) protection of instream habitat, and (4) pursuit of land management protective of the watershed. The Arkansas Soil and Water Conservation Commission has responsibility for the regulation of the withdrawal of water from streams and reservoirs, and such withdrawals are not within the jurisdiction of this regulation.

Section 2.204 Thermal Discharges

In those cases where potential water quality impairment associated with a thermal discharge is involved, the antidegradation policy and implementing method shall be consistent with Section 316 of the Act.

CHAPTER THREE: WATERBODY USES

Section 2.301 Introduction

Substantially all the waters of the State have been designated for specific uses as shown in Appendix A. In those instances where waters are classified for multiple uses and different criteria are specified for each use, the criteria to protect the most sensitive use shall be applicable.

Section 2.302 Designated Uses

The designated uses are defined as follows:

- (A) Extraordinary Resource Waters - This beneficial use is a combination of the chemical, physical and biological characteristics of a waterbody and its watershed which is characterized by scenic beauty, aesthetics, scientific values, broad scope recreation potential and intangible social values.
- (B) Ecologically Sensitive Waterbody - This beneficial use identifies segments known to provide habitat within the existing range of threatened, endangered or endemic species of aquatic or semi-aquatic life forms.
- (C) Natural and Scenic Waterways - This beneficial use identifies segments which have been legislatively adopted into a state or federal system.
- (D) Primary Contact Recreation - This beneficial use designates waters where full body contact is involved. Any streams with watersheds of greater than 10 mi² are designated for full body contact. All streams with watersheds less than 10 mi² may be designated for primary contact recreation after site verification.
- (E) Secondary Contact Recreation - This beneficial use designates waters where secondary activities like boating, fishing or wading are involved.
- (F) Fisheries - This beneficial use provides for the protection and propagation of fish, shellfish and other forms of aquatic life. It is further subdivided into the following subcategories:
 - (1) Trout - water which is suitable for the growth and survival of trout (Family: Salmonidae).

- (2) Lakes and Reservoirs - water which is suitable for the protection and propagation of fish and other forms of aquatic life adapted to impounded waters. Generally characterized by a dominance of sunfishes such as bluegill or similar species, black basses and crappie. May include substantial populations of catfishes such as channel, blue and flathead catfish and commercial fishes including carp, buffalo and suckers. Forage fishes are normally shad or various species of minnows. Unique populations of walleye, striped bass and/or trout may also exist.
- (3) Streams - water which is suitable for the protection and propagation of fish and other forms of aquatic life adapted to flowing water systems whether or not the flow is perennial.

- (a) Ozark Highlands Ecoregion - Streams supporting diverse communities of indigenous or adapted species of fish and other forms of aquatic life. Fish communities are characterized by a preponderance of sensitive species and normally dominated by a diverse minnow community followed by sunfishes and darters. The community may be generally characterized by the following fishes:

| <u>Key Species*</u> | <u>Indicator Species</u> |
|-------------------------------------|--------------------------|
| Duskystripe shiner | Banded sculpin |
| Northern hogsucker | Ozark madtom |
| Slender madtom | Southern redbelly dace |
| "Rock" basses | Whitetail shiner |
| Rainbow and/or Orangethroat darters | Ozark minnow |
| Smallmouth bass | |

- (b) Boston Mountains Ecoregion - Streams supporting diverse communities of indigenous or adapted species of fish and other forms of aquatic life. Fish communities are characterized by a major proportion of sensitive species; a diverse, often darter-dominated community exists but with nearly equal proportions of minnows and sunfishes. The community may be generally characterized by the following fishes:

* Scientific names of fishes are found in Appendix C.

Key Species
Bigeye shiner
Black redhorse
Slender madtom
Longear sunfish
Greenside darter
Smallmouth bass

Indicator Species
Shadow bass
Wedgespot shiner
Longnose darter
Fantail darter

- (c) Arkansas River Valley Ecoregion - Streams supporting diverse communities of indigenous or adapted species of fish and other forms of aquatic life. Fish communities are characterized by a substantial proportion of sensitive species; a sunfish- and minnow-dominated community exists but with substantial proportions of darters and catfishes (particularly madtoms). The community may be generally characterized by the following fishes:

Key Species
Bluntnose minnow
Golden redhorse
Yellow bullhead
Longear sunfish
Redfin darter
Spotted bass

Indicator Species
Orangespotted sunfish
Blacksidedarter
Madtoms

- (d) Ouachita Mountains Ecoregion - Streams supporting diverse communities of indigenous or adapted species of fish and other forms of aquatic life. The fish community is characterized by a major proportion of sensitive species; a minnow-sunfish-dominated community exists, followed by darters. The community may be generally characterized by the following fishes:

Key Species
Bigeye shiner
Northern hogsucker
Freckled madtom
Longear sunfish
Orangebelly darter
Smallmouth bass

Indicator Species
Shadow bass
Gravel chub
Northern studfish
Striped shiner

- (e) Typical Gulf Coastal Ecoregion - Streams supporting diverse communities of indigenous or adapted species of fish and other forms of aquatic life. Fish communities are characterized by a limited proportion of sensitive species; sunfishes are distinctly dominant followed by darters and minnows. The community may be generally characterized by the following fishes:

Key Species

Redfin shiner
Spotted sucker
Yellow bullhead
Flier
Slough darter
Grass pickerel

Indicator Species

Pirate perch
Warmouth
Spotted sunfish
Dusky darter
Creek chubsucker
Banded pygmy sunfish

- (f) Springwater-influenced Gulf Coastal Ecoregion -Streams supporting diverse communities of indigenous or adapted species of fish and other forms of aquatic life. Fish communities are characterized by a substantial proportion of sensitive species; sunfishes normally dominate the community and are followed by darters and minnows. The community may be generally characterized by the following fishes:

Key Species

Redfin shiner
Blacktail redhorse
Freckled madtom
Longear sunfish
Creole darter
Grass pickerel

Indicator Species

Pirate perch
Golden redhorse
Spotted bass
Scaly sand darter
Striped shiner
Banded pygmy sunfish

- (g) Least-altered Delta Ecoregion - Streams supporting diverse communities of indigenous or adapted species of fish and other forms of aquatic life. Fish communities are characterized by an insignificant proportion of sensitive species; sunfishes are distinctly dominant followed by minnows. The community may be generally characterized by the following fishes:

Key Species
 Ribbon shiner
 Smallmouth buffalo
 Yellow bullhead
 Bluegill
 Bluntnose darter
 Largemouth bass

Indicator Species
 Pugnose minnow
 Mosquitofish
 Pirate perch
 Tadpole madtom
 Banded pygmy sunfish

- (h) Channel-altered Delta Ecoregion - Streams supporting diverse communities of indigenous or adapted species of fish and other forms of aquatic life. Fish communities are characterized by an absence of sensitive species; sunfishes and minnows dominate the population followed by catfishes. The community may be generally characterized by the following fishes:

Key Species
 Blacktail shiner
 Drum
 Carp
 Channel catfish
 Green sunfish
 Spotted gar

Indicator Species
 Mosquitofish
 Gizzard shad
 Emerald shiner

- (G) **Domestic Water Supply** - This beneficial use designates water which will be protected for use in public and private water supplies. Conditioning or treatment may be necessary prior to use.
- (H) **Industrial Water Supply** - This beneficial use designates water which will be protected for use as process or cooling water. Quality criteria may vary with the specific type of process involved and the water supply may require prior treatment or conditioning.
- (I) **Agricultural Water Supply** - This beneficial use designates waters which will be protected for irrigation of crops and/or consumption by livestock.
- (J) **Other Uses** - This category of beneficial use is generally used to designate uses not dependent upon water quality, such as hydroelectric power generation and navigation.

Section 2.303 Use Attainability Analysis

- (A) A use attainability analysis must be conducted to justify the following conditions:
- (1) Removing a fishable/swimmable designated use, which is not an existing use, from a waterbody; or
 - (2) To identify a subcategory of a fishable/swimmable use which requires less stringent criteria.
- (B) In order to remove a designated fishable/swimmable use which is not an existing use, or identify subcategories of a fishable/swimmable use which require less stringent criteria, it must be demonstrated that the designated use is not attainable because:
- (1) naturally occurring pollutant concentrations prevent the attainment of the use; or
 - (2) natural, ephemeral, intermittent or low flow conditions or water levels prevent the attainment of the use, unless these conditions may be compensated for by the discharge of sufficient volume of effluent discharges without violating State water conservation requirements to enable uses to be met; or
 - (3) human caused conditions or sources of pollution prevent attainment of the use and cannot be remedied or would cause more environmental damage to correct than leave in place; or
 - (4) dams, diversions or other types of hydrologic modifications preclude the attainment of the use, and it is not feasible to restore the water body to its original condition or to operate such modification in a way that would result in the attainment of the use; or
 - (5) physical conditions related to the natural features of a water body, such as lack of a proper substrate, cover, flow, depth, pools, riffles, and the like, unrelated to water quality, preclude attainment of aquatic life protection uses; or
 - (6) controls more stringent than those required by Section 301(b) and 306 of the Act would result in substantial and widespread economic and social impact.

The scope of a use attainability analysis shall be in direct proportion to the project involved and the resource value of the receiving stream. Methods for conducting a use attainability analysis may be found in the November 1983 EPA publication entitled "Technical Support Manual: Waterbody Surveys and Assessments for Conducting Use

Attainability Analyses." Other scientific methods, including the use of existing technical data, may be used for justifying the removal of a designated use; provided the methods are agreed upon prior to the study. Such other methods may include the use of information previously gathered through technical studies and/or use attainability analysis. Use attainability analysis procedures may be found in the State of Arkansas Continuing Planning Process document (CPP). Any waterbody on which a use attainability analysis is approved shall be so listed in Appendix A with appropriate criteria.

Section 2.304 Physical Alteration of Habitat

Significant physical alterations of the habitat within extraordinary resource waters, ecologically sensitive waterbodies or natural and scenic waterways are not allowed. In other waters, where significant physical alterations of the habitat are proposed, the Department must be assured that no significant degradation of any existing use or water quality necessary to protect that use will occur. In order to make such determinations, the Department may require an evaluation of all practicable alternatives to the project including: an environmental assessment of the impacts of each alternative, an engineering and economic analysis, and a socio-economic evaluation of the project in the local area.

Section 2.305 Short Term Activity Authorization

The Director of the Department of Pollution Control and Ecology may authorize, with whatever conditions deemed necessary and without public notice, short term activities which might cause a violation of the Arkansas Water Quality Standards. This authorization is subject to the provisions that such activity is essential to the protection or promotion of the public interest and that no permanent or long-term impairment of beneficial uses is likely to result from such activity. Nothing herein shall be intended to supersede existing state and federal permitting processes or requirements.

Activities eligible for authorization include, but are not limited to:

- (A) wastewater treatment facility maintenance;
- (B) fish eradication projects;
- (C) mosquito abatement projects;
- (D) algae and weed control projects;

- (E) dredge and fill projects;
- (F) construction activities;
- (G) tracers used in hydrological studies; or
- (H) activities which result in overall enhancement or maintenance of beneficial uses.

The Director shall specify the degree of variance from the standards, the time limit of activity and restoration procedures where applicable.

Such authorization shall not be granted for activities which result in the adverse impact on any federally threatened or endangered species or on critical habitat of such species.

Section 2.306 Procedures for Removal of Any Designated Use Except Fishable/Swimmable, and Modification of Water Quality Criteria not Related to Fishable/Swimmable Uses

This procedure is applicable in those cases where the Commission chooses to establish less stringent water quality criteria without affecting a fishable/swimmable use or when the Commission chooses to remove a use other than fishable/swimmable which is not an existing use.

The Commission may allow a modification of the water quality criteria or the removal of a use which is not a fishable/swimmable use to accommodate important economic or social development in a local area, if existing uses are maintained and protected fully and the requirements for public participation in the Continuing Planning Process are met. As a minimum, the following information shall be submitted to the Department Director before initiation of the public participation process:

- (A) Technological or economic limits of treatability.
- (B) Economic analysis of the impact on the local area.
- (C) Documentation that the use being removed is not an existing use and that all other designated uses will be protected.

Any waterbody on which such alterations are approved will be so listed in Appendix A with the applicable changes noted.

Section 2.307 Use Subcategories

The Commission may adopt sub-categories of a use and set the appropriate criteria to reflect varying needs of such sub-categories of uses, for instance, to differentiate between cold and warm water fisheries or agricultural and domestic water supply.

Section 2.308 Site Specific Criteria

In establishing criteria:

- (A) Establish numerical criteria values based on:
 - (1) 304(a) Guidance; or
 - (2) 304(a) Guidance modified to reflect site conditions [WER] or
 - (3) other scientifically defensible methods;

- (B) Establish narrative criteria or criteria based upon biomonitoring methods where numerical criteria cannot be established or to supplement numerical criteria.

Section 2.309 Temporary Variance

A temporary variance to the water quality standards may be allowed for an existing permitted discharge facility. The variance will be for specified constituents and shall be no longer than a three year period. A variance must be approved by the Arkansas Pollution Control and Ecology Commission and the U.S. Environmental Protection Agency. A variance will be considered when it is determined that a standard, including designated use, can ultimately be attained or when preliminary evidence indicates that a site specific amendment of the standards may be appropriate. A variance may be granted only to the applicant and will not apply to other discharges into the specified waterbody.

CHAPTER FOUR: GENERAL STANDARDS

Section 2.401 Applicability

The general standards outlined below are applicable to all surface waters of the State at all times. They apply specifically with regard to substances attributed to discharges, nonpoint sources or instream activities as opposed to natural phenomena. Waters may, on occasion, have natural background levels of certain substances outside the limits established by these criteria, in which case these criteria do not apply.

Section 2.402 Nuisance Species

All waters shall be free from substances attributed to man-caused point or nonpoint source discharges in concentrations that produce undesirable aquatic life or result in the dominance of nuisance species.

Section 2.403 Methods

The methods of sample collection, preservation, measurements and analyses shall be in accordance with the EPA's Guidelines Establishing Test Procedures for the Analysis of Pollutants (40 CFR, Part 136) or other proven methods acceptable to the Department.

Section 2.404 Mixing Zones

Mixing zones are allowed for all parameters not specifically excluded in this subsection and the effects of wastes on the receiving stream shall be determined after the wastes have been thoroughly mixed with the mixing zone volume. Outfall structures should be designed to minimize the extent of mixing zones to ensure rapid and complete mixing.

For aquatic life toxic substances in larger streams,(those with Q7-10 flows equal to or greater than 100 cfs), the zone of mixing shall not exceed 1/4 of the cross-sectional area and/or critical flow volume of the stream. The remaining 3/4 of the stream shall be maintained as a zone of passage for swimming and drifting organisms, and shall remain of such quality that stream ecosystems are not significantly affected. In the smaller streams, (Q7-10 flows less than 100 cfs), because of varying local physical and chemical conditions and biological phenomena, a site-specific determination shall be made on the percentage of river width necessary to allow passage of critical free-swimming and drifting organisms so that negligible or no effects are produced on their populations. As a guideline, no more than 2/3 of the cross-sectional area and/or critical flow volume of smaller streams should be devoted to mixing zones thus leaving at least 1/3 of the cross-sectional area free as a zone of passage.

Mixing zones are not allowed for the parameters of bacteria or oil and grease, or where the background flow is less than the critical flow or where the background concentration of a waste parameter exceeds the specific criteria for that waste parameter.

In lakes and reservoirs the size of mixing zones shall be defined by the Department of Pollution Control and Ecology on an individual basis, and the area shall be kept at a minimum.

Mixing zones shall not prevent the free passage of fish or significantly affect aquatic ecosystems.

A mixing zone shall not include any domestic water supply intake.

Section 2.405 (Reserved)

Section 2.406 Color

True color shall not be increased in any waters to the extent that it will interfere with present or projected future uses of these waters.

Section 2.407 Taste and Odor

Taste and odor producing substances shall be limited in receiving waters to concentrations that will not interfere with the production of potable water by reasonable water treatment processes, or impart unpalatable flavor to food, fish or result in offensive odors arising from the waters or otherwise interfere with the reasonable use of the water.

Section 2.408 Solids, Floating Material and Deposits

Receiving waters shall have no distinctly visible solids, scum or foam of a persistent nature, nor shall there be any formation of slime, bottom deposits or sludge banks.

Section 2.409 Toxic Substances

Discharges shall not be allowed into any waterbody which, after consideration of the zone of initial dilution, the mixing zone and critical flow conditions, will cause toxicity to human, animal, plant or aquatic life or interfere with normal propagation, growth, and survival of aquatic biota.

Section 2.410 Oil and Grease

Oil, grease or petrochemical substances shall not be present in receiving waters to the extent that they produce globules or other residue or any visible, colored film on the surface or coat the banks and/or bottoms of the waterbody or adversely affect any of the associated biota.

CHAPTER FIVE: SPECIFIC STANDARDS

Section 2.501 Applicability

The following specific standards shall apply to all surface waters of the state at all times except during periods when flows are less than the applicable critical flow. Streams with regulated flow will be addressed on a case-by-case basis to maintain designated instream uses. These standards apply outside the applicable mixing zone. Waters may, on occasion have natural background levels of certain substances outside the limits established by these criteria, in which case these criteria do not apply to the naturally occurring excursions.

Section 2.502 Temperature

Heat shall not be added to any waterbody in excess of the amount that will elevate the natural temperature, outside the mixing zone, by more than 5°F (2.8°C) based upon the monthly average of the maximum daily temperatures measured at mid-depth or three feet (whichever is less) in streams, lakes or reservoirs. Maximum allowable temperatures from man-induced causes in the following waters are:

| <u>Waterbodies</u> | <u>Limit °C (°F)</u> |
|--|----------------------|
| Streams | |
| Ozark Highlands | 29 (84.2) |
| Boston Mountains | 31 (87.8) |
| Arkansas River Valley | 31 (87.8) |
| Ouachita Mountains | 30 (86.0) |
| Springwater-influenced Gulf Coastal | 30 (86.0) |
| Typical Gulf Coastal | 30 (86.0) |
| Least-Altered Delta | 30 (86.0) |
| Channel-Altered Delta | 32 (89.6) |
| White River (Dam #1 to mouth) | 32 (89.6) |
| St.Francis River | 32 (89.6) |
| Mississippi River | 32 (89.6) |
| Arkansas River | 32 (89.6) |
| Ouachita River (L. Missouri R.to state line) | 32 (89.6) |
| Red River | 32 (89.6) |
| Lakes and Reservoirs | 32 (89.6) |
| Trout waters | 20 (68.0) |

Temperature requirements shall not apply to off-stream privately-owned reservoirs constructed primarily for industrial cooling purposes and financed in whole or in part by the entity or successor entity using the lake for cooling purposes.

Section 2.503 Turbidity

There shall be no distinctly visible increase in turbidity of receiving waters attributable to municipal, industrial, agricultural, other waste discharges or instream activities. Specifically, in no case shall any such waste discharge or instream activity cause turbidity values to exceed the following:

| <u>Waterbodies</u> | <u>Limit (NTU)</u> |
|-------------------------------------|--------------------|
| Streams | |
| Ozark Highlands | 10 |
| Boston Mountains | 10 |
| Arkansas River Valley | 21 |
| Ouachita Mountains | 10 |
| Springwater-influenced Gulf Coastal | 21 |
| Typical Gulf Coastal | 21 |
| Least-Altered Delta | 45 |
| Channel-Altered Delta | 75 |
| Arkansas River | 50 |
| Mississippi River | 50 |
| Red River | 50 |
| St. Francis River | 75 |
| Trout | 10 |
| Lakes and Reservoirs | 25 |

Section 2.504 pH

As a result of waste discharges, the pH of water in streams or lakes must not fluctuate in excess of 1.0 unit over a period of 24 hours and pH values shall not be below 6.0 or above 9.0.

Section 2.505 Dissolved Oxygen

In streams with watersheds of less than 10 mi², it is assumed that insufficient water exists to support a fishery during the **critical season**. During this time, a D.O. standard of 2 mg/l will apply to prevent nuisance conditions. However, field verification is required in areas suspected of having significant groundwater flows or enduring pools which may support unique aquatic biota. In such waters the **critical season** standard for the next size category of stream shall apply.

All streams with watersheds of less than 10 mi² are expected to support a fishery during the **primary season** when stream flows, including discharges, equal or exceed 1 cubic

foot per second (CFS); however, when site verification indicates that a fishery exists at flows below 1 CFS, such fishery will be protected by the **primary** standard.

Also, in these streams with watersheds of less than 10 mi², where waste discharges are 1 CFS or more, they are assumed to provide sufficient water to support a perennial fishery and, therefore, must meet the dissolved oxygen standards of the next size category of streams.

For purposes of determining effluent discharge limits, the following conditions shall apply:

- (A) The primary season dissolved oxygen standard is to be met at a water temperature of 22°C (71.5°F) and at the minimum stream flow for that season. At water temperatures of 10°C (50°F), the dissolved oxygen standard is 6.5 mg/l.
- (B) During March, April and May, when background stream flows are 15 CFS or higher, the D.O. standard is 6.5 mg/l in all areas except the Delta Ecoregion, where the primary season D.O. standard will remain at 5 mg/l.
- (C) The critical season dissolved oxygen standard is to be met at maximum allowable water temperatures and at Q7-10 flows. However, when water temperatures exceed 22°C (71.6°F), a 1 mg/l diurnal depression will be allowed below the applicable critical standard for no more than 8 hours during any 24-hour period.

The following dissolved oxygen standards must be met:

| <u>Waterbodies</u> | <u>Limit (mg/l)</u> | |
|--|---------------------|----------|
| | Primary* | Critical |
| Streams | | |
| Ozark Highlands | | |
| <10 mi ² watershed | 6 | 2 |
| 10 to 100 mi ² | 6 | 5 |
| >100 mi ² watershed | 6 | 6 |
| Boston Mountains | | |
| <10 mi ² watershed | 6 | 2 |
| >10 mi ² watershed | 6 | 6 |
| Arkansas River Valley | | |
| <10 mi ² watershed | 5 | 2 |
| 10 mi ² to 150 mi ² | 5 | 3 |
| 151 mi ² to 400 mi ² | 5 | 4 |
| >400 mi ² watershed | 5 | 5 |

* except as in (A) and (B) above

| | | |
|---|---|---|
| Ouachita Mountains | | |
| <10 mi ² watershed | 6 | 2 |
| >10 mi ² watershed | 6 | 6 |
| Typical Gulf Coastal | | |
| <10 mi ² watershed | 5 | 2 |
| 10 mi ² to 500 mi ² | 5 | 3 |
| >500 mi ² watershed | 5 | 5 |
| Springwater-influenced Gulf Coastal | | |
| All size watersheds | 6 | 5 |
| Delta (least-altered and channel altered) | | |
| <10 mi ² watershed | 5 | 2 |
| 10 mi ² to 100 mi ² | 5 | 3 |
| >100 mi ² watershed | 5 | 5 |
| Trout Waters | | |
| All size watersheds | 6 | 6 |

Lakes and Reservoirs

Specific dissolved oxygen standards for lakes and reservoirs shall be 5 mg/l. Effluent limits for oxygen-demanding discharges into impounded waters are promulgated in Regulation #6 of the Arkansas Pollution Control and Ecology Commission. However, the Commission may, after full satisfaction of the intergovernmental coordination and public participation provisions of the state's continuing planning process, establish alternative limits for dissolved oxygen in lakes and reservoirs where studies and other relevant information can demonstrate that predominant ecosystem conditions may be more accurately reflected by such alternate limits; provided that these limits shall be compatible with all designated beneficial uses of named lakes and reservoirs.

Section 2.506 Radioactivity

The Rules and Regulations for the Control of Sources of Ionizing Radiation of the Division of Radiological Health, Arkansas Department of Health, limits the maximum permissible levels of radiation that may be present in effluents to surface waters in uncontrollable areas. These limits shall apply for the purposes of these standards, except that in no case shall the levels of dissolved radium-226 and strontium-90 exceed 3 and 10 picocuries/liter, respectively, in the receiving water after mixing, nor shall the gross beta concentration exceed 1000 picocuries/liter.

Section 2.507 Bacteria

The Arkansas Department of Health has the responsibility of approving or disapproving surface waters for public water supply and of approving or disapproving the suitability of specifically delineated outdoor bathing places for body contact recreation, and it has issued rules and regulations pertaining to such uses.

For the purposes of this regulation, all streams with watersheds less than 10 mi² shall not be designated for primary contact unless and until site verification indicates that such use is attainable. No mixing zones are allowed for discharges of bacteria. The determination of fecal coliform levels for the following waters shall be based on a minimum of not less than five samples taken over not more than a 30-day period.

- (A) Extraordinary Resource Waters and Natural and Scenic Waterways - At no time shall the fecal coliform content exceed a geometric mean of 200/100 ml in any size of watersheds.
- (B) Primary Contact Waters - Between April 1 and September 30, the fecal coliform content shall not exceed a geometric mean of 200/100 ml nor shall more than 10 percent of the total samples during any 30-day period exceed 400/100 ml. During the remainder of the calendar year, these criteria may be exceeded, but at no time shall the fecal coliform content exceed the level necessary to support secondary contact recreation (below).
- (C) Secondary Contact Waters - The fecal coliform content shall not exceed a geometric mean of 1000/100 ml, nor equal or exceed 2000/100 ml in more than 10 percent of the samples taken in any 30-day period.

Section 2.508 Toxic Substances

Toxic substances shall not be present in receiving waters, after mixing, in such quantities as to be toxic to human, animal, plant or aquatic life or to interfere with the normal propagation, growth and survival of the indigenous aquatic biota. Acute toxicity standards may not be exceeded outside the zone of initial dilution. Within the ZID acute toxicity standards may be exceeded but acute toxicity may not occur. Chronic toxicity and chronic numeric toxicity standards shall not be exceeded at, or beyond, the edge of the mixing zone. Permitting of all toxic substances shall be in accordance with the toxic implementation strategy found in the Continuing Planning Process. For non permit issues and as a guideline for evaluating toxic substances not listed in the following tables, the Department may consider No Observed Effect Concentrations (NOECs) or other literature values as appropriate.

For the substances listed below, the following standards shall apply:

ALL WATERBODIES - AQUATIC LIFE CRITERIA

| <u>Substance</u> | <u>Acute Values (µg/l)</u> (Never to Exceed) | <u>Chronic Values (µg/l)</u> (24-hr Average) |
|------------------------|---|---|
| PCBs | | 0.0140 |
| Aldrin | 3.0 | |
| Dieldrin | 2.5 | 0.0019 |
| DDT (& metabolites) | 1.1 | 0.0010 |
| Endrin* | 0.18 | 0.0023 |
| Toxaphene | 0.73 | 0.0002 |
| Chlordane | 2.4 | 0.0043 |
| Endosulfan* | 0.22 | 0.056 |
| Heptachlor | 0.52 | 0.0038 |
| Hexachlorocyclohexane* | 2.0 | 0.080 |
| Pentachlorophenol | $e^{[1.005(\text{pH})-4.830]}$ | $e^{[1.005(\text{pH})-5.290]}$ |
| Chlorpyrifos | 0.083 | 0.041 |

* - Total of all isomers

DISSOLVED METALS *

| <u>Substance</u> | <u>Acute Criteria (CMC) - µg/L(ppb)</u> | | | <u>Chronic Criteria (CCC) - ug/L(ppb)</u> | | |
|------------------|--|----------|-------------------|---|----------|-------------------|
| | <u>Formula</u> | <u>X</u> | <u>Conversion</u> | <u>Formula</u> | <u>X</u> | <u>Conversion</u> |
| Cadmium | $e^{[1.128(\text{Inhardness})]-3.828}$ | | (a) | $e^{[0.7852(\text{Inhardness})]-3.490}$ | | (c) |
| Chromium(III) | $e^{[0.819(\text{Inhardness})]+3.688}$ | | 0.316 | $e^{[0.8190(\text{Inhardness})]+1.561}$ | | 0.860 |
| Chromium (VI) | 16 | | 0.982 | 11 | | 0.962 |
| Copper | $e^{[0.9422(\text{Inhardness})]-1.464}$ | | 0.960 | $e^{[0.8545(\text{Inhardness})]-1.465}$ | | 0.960 |
| Lead | $e^{[1.273(\text{Inhardness})]-1.460}$ | | (b) | $e^{[1.273(\text{Inhardness})]-4.705}$ | (b) | |
| Mercury** | 2.4 | | 0.85 | 0.012** | | NONE |
| Nickel | $e^{[0.8460(\text{Inhardness})]+3.3612}$ | | 0.998 | $e^{[0.8460(\text{Inhardness})]+1.1645}$ | | 0.997 |
| Selenium** | 20 | | NONE | 5 | | NONE |
| Silver | $e^{[1.72(\text{Inhardness})]-6.52}$ | | 0.85 | ----- | | NONE |
| Zinc | $e^{[0.8473(\text{Inhardness})]+0.8604}$ | | 0.978 | $e^{[0.8473(\text{Inhardness})]+0.7614}$ | | 0.986 |
| Cyanide** | 22.36 | | NONE | 5.2 | | NONE |

* These values may be adjusted by a site specific Water Effects Ratio(WER) as defined in 40 CFR Part 31.36 (c).

(a) Calculated as: $1.136672 - [(\text{In hardness})(0.041838)]$

(b) Calculated as: $1.46203 - [(\text{In hardness})(0.145712)]$

(c) Calculated as: $1.101672 - [(\text{In hardness})(0.041838)]$

** Expressed as total recoverable. Mercury based on bioaccumulation of residues in aquatic organisms, rather than toxicity.

ALL WATERBODIES - HUMAN HEALTH CRITERIA

| <u>Substance</u> | <u>Criteria (ng/l)*</u> |
|----------------------------------|-------------------------|
| Dioxin (2,3,7,8 TCDD) | 0.001 |
| Chlordane | 5.0 |
| PCBs (polychlorinated biphenyls) | 0.4 |
| alpha Hexachlorocyclohexane | 37.3 |
| Beryllium | 76.0 |
| Dieldrin | 1.2 |
| Toxaphene | 6.3 |

* Criteria based on a lifetime risk factor of 10^{-5} .

The permittee shall have the option to develop site-specific numerical standards for toxic substances using EPA approved bioassay methodology and guidance. Such guidance may include but may not be limited to "Water Quality Standards Handbook"; "Guidelines for Deriving Numerical National Water Quality Criteria for the Protection of Aquatic Organisms and Their Uses" (August, 1994); "Methods for Measuring the Acute Toxicity of Effluents to Freshwater and Marine Organisms" (EPA 600/4-90/027); "Short Term Methods for Estimating the Chronic Toxicity of Effluents and Receiving Waters to Freshwater Organisms" (EPA/600/4-91/002).

Only ambient water quality data for dissolved metals generated or approved by ADPC&E after March 1, 1993 will be considered in the documentation of background concentrations for the purpose of developing permit limitations.

Section 2.509 Nutrients

Materials stimulating algal growth shall not be present in concentrations sufficient to cause objectionable algal densities or other nuisance aquatic vegetation. As a guideline, total phosphorus shall not exceed 100 $\mu\text{g/l}$ in streams or 50 $\mu\text{g/l}$ in lakes and reservoirs except in waters highly laden with natural silts or color which reduce the penetration of sunlight needed for plant photosynthesis, or in other waters where it can be demonstrated that algal production will not interfere with or adversely affect designated uses and/or fish and wildlife propagation.

The Commission may establish alternative nutrient limitations for lakes, reservoirs and streams, and shall incorporate such limitations into appropriate water quality management plans.

Section 2.510 Oil and Grease

Oil, grease or petrochemical substances shall not be present in receiving waters to the extent that they produce globules or other residue or any visible, colored film on the surface, or coat the banks and/or bottoms of the watercourses or adversely affect any of the associated biota. As a guideline, oil and grease shall not exceed 10 mg/l average or 15 mg/l maximum when discharging to surface waters. No mixing zones are allowed for discharges of oil and grease.

Section 2.511 Mineral Quality

Mineral quality shall not be altered by municipal, industrial, other waste discharges or instream activities so as to interfere with designated uses. The following limits apply to the streams indicated, and represent concentrations of chloride (Cl⁻), sulfate (SO₄⁼) and total dissolved solids (TDS) not to be exceeded in more than one (1) in ten (10) samples collected over a period of not less than 30 days or more than 360 days.

| <u>Stream</u> | <u>Concentration-mg/L</u> | | |
|---|---------------------------|-----------------------------------|------------|
| | <u>Cl</u> | <u>SO₄⁼</u> | <u>TDS</u> |
| Arkansas River Basin | | | |
| Arkansas River (Mouth to L&D #7) | 250 | 100 | 500 |
| Bayou Meto (Rocky Branch to Bayou Two Prairie) | 64* | ER | ER |
| Rocky Branch Creek | 64* | ER | ER |
| Arkansas River (L&D #7 to L&D #10) | 250 | 100 | 500 |
| Cadron Creek | 20 | 20 | 100 |
| Arkansas River (L&D #10 to Oklahoma line, including Dardanelle Reservoir) | 250 | 120 | 500 |
| James Fork | 20 | 100 | 275 |
| Illinois River | 20 | 20 | 300 |
| Poteau River from Business Hwy 71 to Stateline | 120 | 60 | 500 |
| Unnamed trib at Waldron | 150 | 70 | 600 |
| White River Basin | | | |
| White River (Mouth to Dam #3) | 20 | 60 | 430 |
| Big Creek | 20 | 30 | 270 |
| Unnamed trib from Frit Ind. | ER | 48* | ER |
| Cache River | 20 | 30 | 270 |
| Bayou DeView | 20 | 30 | 270 |
| Little Red River (including Greers Ferry Reservoir) | 20 | 30 | 100 |
| Black River | 20 | 30 | 270 |
| Strawberry River | 20 | 30 | 270 |
| Spring River | 20 | 30 | 290 |
| Eleven Point River | 20 | 30 | 270 |

| | | | |
|--|------|-----|------|
| Stennitt Creek | ER | ER | 456* |
| South Fork Spring River | 20 | 30 | 270 |
| Myatt Creek | 20 | 30 | 270 |
| Current River | 20 | 30 | 270 |
| White River (Dam #3 to Missouri line, including Bull Shoals Reservoir) | 20 | 20 | 180 |
| Buffalo River | 20 | 20 | 200 |
| Crooked Creek | 20 | 20 | 200 |
| White River (Missouri line to head- waters, including Beaver Reservoir) | 20 | 20 | 160 |
| Kings River | 20 | 20 | 150 |
| West Fork White River | 20 | 20 | 150 |
| St. Francis River Basin | | | |
| St. Francis River (Mouth to 36° N. Lat.) | 10 | 30 | 330 |
| L'Anguille River | 20 | 30 | 235 |
| Tyronza River | 20 | 30 | 350 |
| Little River | 20 | 30 | 365 |
| Pemiscot Bayou | 20 | 30 | 380 |
| St. Francis River (36° N. Lat. to 36° 30' N. Lat.) | 10 | 20 | 180 |
| Ouachita River Basin | | | |
| Bayou Bartholomew | 30 | 30 | 220 |
| Chemin-A-Haut Creek | 50 | 20 | 500 |
| Overflow Creek | 20 | 30 | 170 |
| Bayou Macon | 30 | 40 | 330 |
| Boeuf River | 90 | 30 | 460 |
| Big Cornie Creek | 230 | 30 | 500 |
| Little Cornie Creek | 200 | 10 | 400 |
| Three Creeks | 250 | 10 | 500 |
| Little Cornie Bayou | 200 | 20 | 500 |
| Walker Branch | 180 | ER | 970 |
| Gum Creek | 104* | ER | 311* |
| Bayou de L'Outre above Gum Creek | 250 | 90 | 500 |
| Bayou de L'Outre below Gum Creek | 250 | 90 | 750 |
| Ouachita River (Louisiana line to Camden) | 160 | 40 | 350 |
| Saline River | 20 | 40 | 120 |
| Saline River east bifurcation at Holly Creek | ER | 250 | 500 |
| Hurricane Cr above Hurricane Lake Dam | 20 | 250 | 500 |
| Hurricane Creek from Hurricane Lake | | | |
| Dam to Ben Ball Bridge | 125 | 730 | 1210 |
| Ben Ball Bridge to Hwy.270 | 125 | 700 | 1200 |
| Hwy 270 to Saline River | 100 | 500 | 1000 |
| Alcoa unnamed tribs to Hurricane Cr. | 125 | 700 | 1100 |

| | | | |
|---|------|------|-------|
| Dry Lost Creek and tribs | ER | 560 | 880 |
| Lost Creek to Little Lost Creek | ER | 510 | 820 |
| Lost Creek below Little Lost Creek | ER | 300 | 550 |
| Holly Creek | 30 | 860 | 1600 |
| Moro Creek | 30 | 20 | 260 |
| Smackover Creek | 250 | 30 | 500 |
| Ouachita River (Camden to Carpenter Dam) | 50 | 40 | 150 |
| Town Creek below Acme tributary | ER | 200 | 700 |
| Unnamed trib from Acme | ER | 330 | 830 |
| Little Missouri River | 10 | 90 | 180 |
| Muddy Fork Little Missouri | ER | 250 | 500 |
| Bluff Creek and unnamed trib. | ER | 651* | 1033* |
| Garland Creek | 250 | 250 | 500 |
| South Fork Caddo | ER | 60 | 128 |
| Back Valley Creek | ER | 250 | 500 |
| Ouachita River (Carpenter Dam to Headwaters, including Lake Ouachita tributaries) | 10 | 10 | 100 |
| Red River Basin | | | |
| Bayou Dorcheat | 100 | 16* | 250 |
| Albemarle unnamed trib (AUT) to Horsehead Creek | 137* | ER | 383* |
| Horsehead Creek from AUT to mouth | 85* | ER | 260* |
| Cypress Creek | 250 | 70 | 500 |
| Crooked Creek | 250 | 10 | 500 |
| Dismukes Creek | 26 | ER | 157 |
| Big Creek from Dismukes to Bayou Dorcheat | 20 | ER | 200 |
| Bois d'Arc Creek from Caney Creek to Red River | 113* | 283* | 20* |
| Caney Creek | 113* | 283* | 420* |
| Bodcau Creek | 250 | 70 | 500 |
| Poston Bayou | 120 | 40 | 500 |
| Kelley Bayou | 90 | 40 | 500 |
| Red River from Oklahoma to confluence with Little River | 250 | 200 | 850 |
| Red River from Little River to Louisiana | 250 | 200 | 500 |
| Sulphur River | 120 | 100 | 500 |
| Days Creek | 250 | 250 | 500 |
| McKinney Bayou | 180 | 60 | 480 |
| Little River | 20 | 20 | 100 |
| Saline River | 20 | 10 | 90 |
| Mine Creek from Hwy 27 to Millwood Lake | 90 | 65 | 700 |
| Cossatot River | 10 | 15 | 70 |
| Upper Rolling Fork | 20 | 20 | 100 |
| Rolling Fork from unnamed trib A to DeQueen Lake | 130 | 70 | 670 |
| Unnamed tribs A and A1 at Grannis | 135 | 70 | 700 |
| Mountain Fork | 20 | 20 | 110 |
| Mississippi River (Louisiana line to Arkansas River) | 60 | 150 | 425 |

ER - ecoregion standard

* - based on critical background flow of 4 cfs

Any modification of these values must be made in accordance with Section 2.306.

The following values determined from Arkansas' least-disturbed ecoregion reference streams are considered to be the maximum naturally occurring levels. For waterbodies not listed above, any discharge which results in instream concentrations more than 1/3 higher than these values for Cl and SO₄⁻ or more than 15 mg/l, whichever is greater, is considered to be a significant modification of the water quality. Similarly, such modification exists if the following TDS values are exceeded after being increased by the sum of the increases to Cl and SO₄. Such modifications may be made only in accordance with Section 2.306.

ECOREGION REFERENCE STREAM DATA (mg/l)

| | <u>Cl</u> | <u>SO₄</u> | <u>TDS</u> |
|-----------------------|-----------|-----------------------|------------|
| Ozark Highlands | 13 | 17 | 240 |
| Boston Mountains | 13 | 9 | 85 |
| Arkansas River Valley | 10 | 13 | 103 |
| Ouachita Mountains | 6 | 15 | 128 |
| Gulf Coastal Plains | 14 | 31 | 123 |
| Delta | 36 | 28 | 390 |

In no case shall discharges cause concentrations in any waterbody to exceed 250, 250 and 500 mg/l of chlorides, sulfates and total dissolved solids, respectively, or cause concentrations to exceed the applicable limits in the streams to which they are tributary, except in accordance with Section 2.306.

CHAPTER SIX - EFFECTIVE DATE

This Regulation, as amended, shall be in full force and effect upon adoption by the Commission, and 10 days following filing with the office of Secretary of State.

Arkansas Pollution Control and Ecology Commission


Regulation 2




APPENDIX A

Designated Uses, Specific Standards and Maps of Waters of the State by Ecoregions

Ecoregions of Arkansas



Index to Plates of the Ozark Highlands



DESIGNATED USES: OZARK HIGHLANDS ECOREGION

(Plates OH-1, OH-2, OH-3, OH-4)

Extraordinary Resource Waters

Current River (OH-4)
Eleven Point River (OH-4)
Strawberry River (OH-3, OH-4)
Spring River, including its tributaries: Field Creek, Big Creek, English Creek, Gut Creek and Myatt Creek (OH-4)
South Fork Spring River (OH-3, OH-4)
North Sylamore Creek (OH-3)
Buffalo River (OH-2, OH-3)
Kings River (OH-2)
Bull Shoals Reservoir (OH-2, OH-3)

Natural and Scenic Waterways

Strawberry River from headwaters to Sharp-Izard County Line (OH-3, OH-4)
Kings River - that segment in Madison County (OH-2)
Buffalo River (OH-2, OH-3)
North Sylamore Creek (OH-3)*

Ecologically Sensitive Waterbodies

Numerous springs and spring-fed tributaries which support southern cavefish, Ozark cavefish, Arkansas darter, least darter, Oklahoma salamander, cave snails, cave crawfish and unique invertebrates (OH-1, OH-2, OH-3)
Strawberry River - location of Strawberry River darter (OH-3, OH-4)
Spring River - snuffbox and pink mucket mussels; Ozark hellbender (OH-4)
Eleven Point River - location of Ozark hellbender (OH-4)
Current River - location of flat floater and pink mucket mussels (OH-4)
Illinois River - Neosho mucket (OH-1)

Primary Contact Recreation - all streams with watersheds of greater than 10 mi² and all lakes/reservoirs

Secondary Contact Recreation - all waters

Domestic, Industrial and Agricultural Water Supply - all waters

Fisheries

Trout

Bull Shoals Reservoir - lower portion (OH-2)
White River from Bull Shoals Dam to Dam #3 (OH-3)
North Fork White River (OH-3)
Spring River from Mammoth Springs to South Fork Spring River (OH-4)
Upper White River from Beaver Dam to State Line (OH-1)

Lakes and Reservoirs - all

Streams

Seasonal Ozark Highlands fishery - all streams with watersheds of less than 10 mi² except as otherwise provided in §2.505
Perennial Ozark Highlands fishery - all streams with watersheds of 10 mi² and larger and those waters where discharges equal or exceed 1 CFS

Use Variations Supported by UAA or Other Investigations

Railroad Hollow Creek - no fishable/swimmable uses (OH-1, #1)
Columbia Hollow Creek - seasonal fishery March-June (OH-1, #2)
Curia Creek - below first waterfall, perennial fishery (OH-4, #3)
Moccasin Creek - below Highway 177, perennial fishery (OH-3, #4)
Stennitt Creek- from Brushy Creek to Spring River, no domestic water supply use (OH-4)

* As designated in the National Wild and Scenic Rivers System

SPECIFIC STANDARDS: OZARK HIGHLANDS ECOREGION
(Plates OH-1, OH-2, OH-3, OH-4)

| | <u>Streams</u> | <u>Lakes and Reservoirs</u> |
|--------------------------------|--------------------------|-----------------------------|
| Temperature* °C (°F) | 29 (84.2) | 32 (89.6) |
| Trout waters | 20 (68) | |
| Turbidity (NTU) | 10 | 25 |
| Minerals see | §2.511 | see §2.511 |
| Dissolved Oxygen | <u>Pri.</u> <u>Crit.</u> | see §2.505 |
| <10 mi ² watershed | 6 2 | |
| 10 to 100 mi ² | 6 5 | |
| >100 mi ² watershed | 6 6 | |
| Trout waters | 6 6 | |
| All other standards | (same as statewide) | |


Variations Supported by UAA

- Railroad Hollow Creek: from headwaters to Spavinaw Creek - year-round dissolved oxygen - 2 mg/l (OH-1, #1)
- Curia Creek - below first waterfall, critical season D.O. 6 mg/l (OH-4, #3)
- Moccasin Creek - below Highway 177, critical season D.O. 5mg/l (OH-3, #4)
- SWEPCO Reservoir - maximum temperature 54°C (limitation of 2.8°C above natural temperature does not apply) (OH-1, #5)
- Stennitt Creek - from Brushy Creek to Spring River, TDS = 456 mg/l (OH-4)

* Increase over natural temperatures may not be more than 2.8°C (5°F).

** At water temperatures ≤10°C or during March, April and May when stream flows are 15 CFS and greater, the primary season D.O. standard will be 6.5 mg/l. When water temperatures exceed 22°C, the critical season D.O. standard may be depressed by 1 mg/l for no more than 8 hours during a 24-hour period.

Plate OH-1 (Ozark Highlands)



LEGEND

-  - Ecologically Sensitive Waterbodies
-  * Trout * - Trout Waters
-  - Extraordinary Resource Waters
-  - Natural and Scenic Waterways
-  - Variation by UAA





Plate OH-2 (Ozark Highlands)



LEGEND

-  - Ecologically Sensitive Waterbodies
-  * Trout * - Trout Waters
-  - Extraordinary Resource Waters
-  - Natural and Scenic Waterways
-  - Variation by UAA





Plate OH-3 (Ozark Highlands)



LEGEND

-  - Ecologically Sensitive Waterbodies
-  * Trout * - Trout Waters
-  - Extraordinary Resource Waters
-  - Natural and Scenic Waterways
-  - Variation by UAA






Plate OH-4 (Ozark Highlands)




LEGEND

-  - Ecologically Sensitive Waterbodies
-  * Trout * - Trout Waters
-  - Extraordinary Resource Waters
-  - Natural and Scenic Waterways
-  - Variation by UAA



Index to Plates of the Boston Mountains



DESIGNATED USES: BOSTON MOUNTAINS ECOREGION

(Plates BM-1, BM-2, BM-3)

Extraordinary Resource Waters

Devils Fork of Little Red River including Beech Creek, Tomahawk Creek, Turkey Creek, Lick Creek and Raccoon Creek (BM-3)

Middle Fork of Little Red River above Greers Ferry Reservoir (BM-2, BM-3)

Archey Creek from headwaters to confluence with South Fork Little Red River (BM-2)

Illinois Bayou including North, Middle and East Forks (BM-2)

Piney Creek (BM-2)

Hurricane Creek (BM-2)

Mulberry River (BM-1, BM-2)

Lee Creek from state line upstream to headwaters (BM-1)

Salado Creek (BM-3)

Kings River (BM-1)

Richland Creek and Falling Water Creek (BM-2)

Buffalo River (BM-1, BM-2)

Natural and Scenic Waterways

Mulberry River (BM-1, BM-2)

Buffalo River (BM-1, BM-2)

Kings River (BM-1)

Big Piney Creek (BM-2)*

Hurricane Creek (BM-2)*

Richland Creek (BM-2)*

Ecologically Sensitive Waterbodies

Devils, Middle and South Forks of Little Red River and Archey Creek above Greers Ferry Reservoir - location of endemic yellowcheek darter and endangered speckled pocketbook mussel (except Devils Fork) (BM-2, BM-3)

Foshee Cave - location of aquatic cave snail (BM - 3)

Upper White River - location of longnose darter (BM-1)

Primary Contact Recreation - all streams with watersheds of greater than 10 mi² and all lakes/reservoirs

Secondary Contact Recreation - all waters

Domestic, Industrial and Agricultural Water Supply - all waters

Fisheries

Trout

Greers Ferry Reservoir below Narrows (BM-3)

Little Red River below Greers Ferry Dam (BM-3)

Lakes and Reservoirs - all

Streams

Seasonal Boston Mountain fishery - all waters with watersheds of less than 10 mi² except as otherwise provided in §2.505

Perennial Boston Mountain fishery - all waters with 10 mi² watershed or larger and those waters where discharges equal or exceed 1 CFS

Use Variations Supported by UAA

None

* As designated in the National Wild and Scenic River System.

SPECIFIC STANDARDS: BOSTON MOUNTAINS ECOREGION
(Plates BM-1, BM-2, BM-3)

| | <u>Streams</u> | <u>Lakes and Reservoirs</u> |
|--------------------------------|--------------------------|-----------------------------|
| Temperature* °C (°F) | 31 (87.8) | 32 (89.6) |
| Trout waters | 20 (68) | |
| Turbidity (NTU) | 10 | 25 |
| Minerals | see §2.511 | see §2.511 |
| Dissolved Oxygen** (mg/l) | <u>Pri.</u> <u>Crit.</u> | see §2.505 |
| <10 mi ² watershed | 6 2 | |
| 10 mi ² and greater | 6 6 | |
| Trout waters | 6 6 | |
| All other standards | (same as statewide) | |


Variations Supported by UAA

None


* Increase over natural temperatures may not be more than 2.8°C (°F).

** At water temperatures $\leq 10^{\circ}\text{C}$ or during March, April and May when stream flows are 15 CFS and greater, the primary season D.O. standard will be 6.5 mg/l. When water temperatures exceed 22°C, the critical season D.O. standard may be depressed by 1 mg/l for no more than 8 hours.

Plate BM-1 (Boston Mountains)



LEGEND

-  - Ecologically Sensitive Waterbodies
-  * Trout * - Trout Waters
-  - Extraordinary Resource Waters
-  - Natural and Scenic Waterways
-  - Variation by UAA





Plate BM-2 (Boston Mountains)*



LEGEND

-  - Ecologically Sensitive Waterbodies
-  - Trout Waters
-  - Extraordinary Resource Waters
-  - Natural and Scenic Waterways
-  - Variation by UAA






Plate BM-3 (Boston Mountains)




LEGEND

-  - Ecologically Sensitive Waterbodies
-  * Trout * - Trout Waters
-  - Extraordinary Resource Waters
-  - Natural and Scenic Waterways
-  - Variation by UAA



Index to Plates of the Arkansas River Valley



DESIGNATED USES: ARKANSAS RIVER VALLEY ECOREGION
(Plates ARV-1, ARV-2, ARV-3)

Extraordinary Resource Waters

Cadron Creek including North Fork and East Fork (ARV-2, ARV-3)
Mulberry River (ARV-1)
Big Creek adjacent to natural areas (ARV-3)

Natural and Scenic Waterway

Mulberry River (ARV-1)

Ecologically Sensitive Waterbodies

Primary Contact Recreation - all streams with watersheds of greater than 10 mi² and all lakes/reservoirs

Secondary Contact Recreation - all waters

Domestic, Industrial and Agricultural Water Supply - all waters

Fisheries

Trout

Little Red River below Greers Ferry Dam to Searcy (ARV-3)

Lakes and Reservoirs - all

Streams

Seasonal Arkansas River Valley fishery - all streams with watersheds of less than 10 mi² except as otherwise provided in §2.505

Perennial Arkansas River Valley fishery - all streams with watersheds of 10 mi² or larger and those waters where discharges equal or exceed 1 CFS

Use Variations Supported by UAA

Poteau River from Business Highway 71 to Stateline - no domestic water supply use(ARV-1,#2)

Unnamed tributary to Poteau River at Waldron - no domestic water supply use(ARV-1,#3)

SPECIFIC STANDARDS: ARKANSAS RIVER VALLEY ECOREGION
(Plates ARV-1, ARV-2, ARV-3)

| | <u>Streams</u> | <u>Lakes and Reservoirs</u> |
|--|--------------------------|-----------------------------|
| Temperature* °C (°F) | 31 (87.8) | 32 (89.6) |
| Trout waters | 20 (68) | |
| Arkansas River | 32 (89.6) | |
| Turbidity (NTU) | 21 | 25 |
| Arkansas River | 50 | |
| Minerals | see §2.511 | see §2.511 |
| Dissolved Oxygen** (mg/l) | <u>Pri.</u> <u>Crit.</u> | see §2.505 |
| <10 mi ² watershed | 5 2 | |
| 10 to 150 mi ² | 5 3 | |
| 151 mi ² to 400 mi ² | 5 4 | |
| >400 mi ² watershed | 5 5 | |
| Trout waters | 6 6 | |
| All other standards | (same as statewide) | |

Variations Supported by UAA

Dardanelle Reservoir - maximum temperature 35°C (95°F) (limitation of 2.8°C above natural temperature does not apply) (ARV-2, #1)


Poteau River from Business Highway 71 to Stateline - chlorides - 120 mg/l; sulfates - 60 mg/l; TDS - 500 mg/l (ARV-1, #2)

Unnamed tributary to Poteau River at Waldron - chlorides 150 mg/l; sulfates - 70 mg/l; TDS - 660 mg/l (ARV-1, #3)

* Increase over natural temperatures may not be more than 2.8°C (5°F).

** At water temperatures ≤10°C or during March, April and May when stream flows are 15 CFS and greater, the primary season D.O. standard will be 6.5 mg/l. When water temperatures exceed 22°C, the critical season D.O. standard may be depressed by 1 mg/l for no more than 8 hours during a 24-hour period.

Plate ARV-1 (Arkansas River Valley)



LEGEND

-  - Ecologically Sensitive Waterbodies
-  * Trout * - Trout Waters
-  - Extraordinary Resource Waters
-  - Natural and Scenic Waterways
-  - Variation by UAA






Plate ARV-2 (Arkansas River Valley)



LEGEND

-  - Ecologically Sensitive Waterbodies
-  * Trout *
-  - Extraordinary Resource Waters
-  - Natural and Scenic Waterways
-  - Variation by UAA







Plate ARV-3 (Arkansas River Valley)



LEGEND

-  - Ecologically Sensitive Waterbodies
-  * Trout * - Trout Waters
-  - Extraordinary Resource Waters
-  - Natural and Scenic Waterways
-  - Variation by UAA



DESIGNATED USES: OUACHITA MOUNTAIN ECOREGION

(Plates OM-1, OM-2)

Extraordinary Resource Waters

Lake Ouachita (OM-1, OM-2)

DeGray Reservoir (OM-2)

Saline River - entire segment including North, Alum, Middle and South Forks (OM-2)

Caddo River - above DeGray Reservoir (OM-1, OM-2)

South Fork Caddo River (OM-1)

Cossatot River - above Gillham Reservoir (OM-1)

Caney Creek (OM-1)

Little Missouri River - above Lake Greeson (OM-1)

Mountain Fork River (OM-1)

Big Fork Creek - adjacent to natural area (OM-1)

Natural and Scenic Waterway

Cossatot River above Gillham Reservoir (OM-1)

Little Missouri River above Lake Greeson (OM-1)

Brushy Creek (OM-1)*

Ecologically Sensitive Waterbodies

Ouachita River above Lake Ouachita - location of Caddo madtom, longnose darter, peppered shiner and threatened Arkansas Fatmucket Mussel (OM-1)

South Fork Ouachita River - location of Arkansas fat mucket mussel and Caddo madtom (OM-1)

Caddo River and all tributaries above DeGray Reservoir - location of endemic paleback darter, Caddo madtom and threatened Arkansas Fatmucket Mussel (OM-1, OM-2)

Mountain Fork River - location of threatened leopard darter (OM-1)

Cossatot River above Gillham Reservoir - location of threatened leopard darter (OM-1)

Saline River including Alum, Middle, North and South Forks, and Ten Mile Creek - location of endemic Ouachita madtom and threatened Arkansas Fatmucket Mussel (except South fork and Ten Mile Creek)(OM-2)

Little Missouri River above Lake Greeson - location of Caddo madtom

Mayberry Creek (tributary to Hallman's Creek) - location of paleback darter (OM-2)

Robinson Creek - location of threatened leopard darter (OM-1)

Primary Contact Recreation - all streams with watersheds of greater than 10 mi² and all lakes/reservoirs

Secondary Contact Recreation - all waters

Domestic, Industrial and Agricultural Water Supply - all waters

Fisheries

Trout

Lake Ouachita (lower portion) (OM-2)

Ouachita River from Blakely Mt. Dam to Hwy. 270 bridge (OM-2)

Lakes and Reservoirs - all

Streams

Seasonal Ouachita Mountain Ecoregion fishery - all streams with watersheds of less than 10 mi² except as otherwise provided in §2.505

Perennial Ouachita Mountain Ecoregion fishery - all streams with watershed of 10 mi² or larger and those waters where discharges equal or exceed 1 CFS

Use Variations Supported by UAA

Rolling Fork from unnamed tributary A at Grannis to DeQueen Reservoir - no domestic water supply use (OM-1, #2)

Unnamed tributaries A and A1 at Grannis - no domestic water supply use (OM-1, #3)

* As designated in the National Wild and Scenic River System.

SPECIFIC STANDARDS: OUACHITA MOUNTAIN ECOREGION
(Plates OM-1, OM-2)

| | <u>Streams</u> | <u>Lakes and Reservoirs</u> |
|--------------------------------|--------------------------|-----------------------------|
| Temperature* °C (°F) | 30 (86) | 32 (89.6) |
| Trout waters | 20 (68) | |
| Turbidity (NTU) | 10 | 25 |
| Minerals see | §2.511 | see §2.511 |
| Dissolved Oxygen** (mg/l) | <u>Pri.</u> <u>Crit.</u> | see §2.505 |
| <10 mi ² watershed | 6 2 | |
| 10 mi ² and greater | 6 6 | |
| Trout waters | 6 6 | |
| All other standards | (same as statewide) | |

Variations Supported by UAA

Prairie Creek: from headwaters to confluence with Briar Creek, critical season dissolved oxygen - 4 mg/l (OM-1, #1)

Rolling Fork from unnamed tributary A to DeQueen Reservoir - chlorides 130 mg/l; sulfates - 70 mg/l;

 TDS - 670 mg/l (OM-1, #2)

Unnamed tributaries A and A1 at Grannis - chlorides - 135 mg/l; sulfates - 70 mg/l; TDS - 700 mg/l (OM-1, #3)


South Fork Caddo River - sulfates 60 mg/l (OM-1, #4)

Back Valley Creek - sulfates 250 mg/l; total dissolved solids 500 mg/l (OM-1,#5)

* Increase over natural temperatures may not be more than 2.8°C (5°F).

** At water temperatures ≤10°C or during March, April and May when stream flows are 15 CFS and greater the primary season dissolved oxygen standard will be 6.5 mg/l. When water temperatures exceed 22°C, the critical season dissolved oxygen standard may be depressed by 1 mg/l for no more than 8 hours during a 24-hour period.

Plate OM-1 (Ouachita Mountains)



LEGEND

-  - Ecologically Sensitive Waterbodies
-  * Trout * - Trout Waters
-  - Extraordinary Resource Waters
-  - Natural and Scenic Waterways
-  - Variation by UAA






Plate OM-2 (Ouachita Mountains)




LEGEND

-  - Ecologically Sensitive Waterbodies
-  * Trout * - Trout Waters
-  - Extraordinary Resource Waters
-  - Natural and Scenic Waterways
-  - Variation by UAA



Index to Plates of the Gulf Coastal Plain



DESIGNATED USES: GULF COASTAL ECOREGION

(Plates GC-1, GC-2, GC-3, GC-4)

Extraordinary Resource Waters

Saline River (GC-3, GC-4)

Moro Creek - adjacent to natural area (GC-3)

Natural and Scenic Waterways

Saline River from the Grant-Saline County line to mouth (GC-3)

Ecologically Sensitive Waterbodies

Little River above Millwood Reservoir - location of Ouachita rock pocketbook and pink mucket mussels (GC-1)

Grassy Lake and Yellow Creek below Millwood Reservoir - unique ecosystem and biota (GC-1)

Lower Little Missouri River - location of peppered shiner and longnose darter (GC-2)

Lower Saline River - location of peppered shiner, crystal darter and goldstripe darter (GC-3)

Ouachita River near Arkadelphia - location of flat floater, Ouachita rock pocketbook and pink mucket mussels (GC-2)

Streams with Substantial Springwater Influence

L'Eau Frais (GC-4)

Cypress Creek (GC-4)

East and West Fork Tulip Creeks (GC-4)

Others to be determined

Primary Contact Recreation - all streams with watersheds greater than 10 mi² and all lakes/reservoirs

Secondary Contact Recreation - all waters

Domestic, Industrial and Agricultural Water Supply - all waters

Fisheries

Trout

Little Missouri River from Narrows Dam to confluence with Muddy Fork (GC-1)

Lakes and Reservoirs - all

Streams

Seasonal Gulf Coastal fishery - all streams with watersheds of less than 10 mi² except as otherwise provided in §2.505

Perennial Gulf Coastal fishery - all streams with watersheds of 10 mi² or larger and those waters where discharges equal or exceed 1 CFS

Use Variations Supported by UAA

Loutre Creek - perennial fishery, except seasonal from railroad bridge to mouth (GC-2, #1)

Unnamed tributary to Smackover Creek - no fishable/swimmable uses (GC-2, #2)

Unnamed tributary to Flat Creek - no fishable/swimmable uses (GC-2, #4)

Dodson Creek - perennial fishery (GC-4, #5)

Jug Creek - perennial fishery (GC-2, #6)

Lick Creek - seasonal fishery; no primary contact (GC-1, #7)

Coffee Creek and Mossy Lake - no fishable/swimmable or domestic water supply uses (GC-3, #8)

Red River from Oklahoma to confluence with Little River - No domestic water supply use (GC-1, #9)

Bluff Creek and unnamed tributary - no domestic water supply use(GC-1,#10)

Mine Creek from Highway 27 to Millwood Lake - no domestic water supply use (GC-1, #11)

Caney Creek - no domestic or industrial water supply use(GC-1,#12)

Bois d'Arc Creek from Caney Creek to Red River - no domestic or industrial water supply use(GC-1,#13)

Town Creek below Acme tributary - no domestic water supply(GC-4,#14)

Unnamed trib. from Acme - no domestic water supply(GC-4,#14)

Gum Creek - no domestic water supply use(GC-2,#15)

Bayou de Loutre from Gum Creek to State line - no domestic water supply use(GC-2,#16)

Walker Branch - no domestic water supply use(GC-2,#17)

Little Cornie Bayou from Walker Branch to State line - no domestic water supply use(GC-2,#18)

Alcoa unnamed trib to Hurricane Cr.and Hurricane Cr. - no domestic water supply use(GC-4,#19)

Holly Creek - no domestic water supply use(GC-4,#20)

Dry Lost Creek and Tribs. - no domestic water supply use(GC-4.#21)

Lost Creek - no domestic water supply use(GC-4,#22)

Albemarle unnamed trib (AUT) to Horsehead Creek - no domestic water supply use(GC-2,#27)

Horsehead Creek from AUT to mouth - no domestic water supply use(GC-2,#27)

Dismukes Creek and Big Creek from Dismukes to Bayou Dorcheat - no domestic water supply

SPECIFIC STANDARDS: GULF COASTAL ECOREGION

(Plates GC-1, GC-2, GC-3, GC-4)

| | Typical <u>Streams</u> | Spring Water <u>Streams</u> | Lakes and <u>Reservoirs</u> |
|--|---------------------------|--------------------------------|--------------------------------|
| Temperature * °C (°F) | 30 (86) | 30 (86) | 32 (89.6) |
| Ouachita River | | | |
| (state line to Little Missouri River) | 32 (89.6) | | |
| Red River | 32 (89.6) | | |
| Turbidity (NTU) | 21 | 21 | 25 |
| Red River | 50 | | |
| Minerals | see §2.511 | see §2.511 | |
| Dissolved Oxygen** (mg/l) | <u>Pri.</u> <u>Crit.</u> | <u>Pri.</u> <u>Crit.</u> | see §2.505 |
| <10 mi ² watershed | 5 2 | | |
| 10 mi ² - 500 mi ² | 5 3 | | |
| >500 mi ² watershed | 5 5 | | |
| All sizes | 6 5 | | |
| All other standards | (same as statewide) | | |

Variations Supported by UAA

Loutre Creek - from headwaters to railroad bridge, critical season D.O. standard - 3 mg/l; primary season - 5 mg/l; from railroad bridge to mouth, critical season D.O. - 2 mg/l (GC-2, #1)

Unnamed tributary to Smackover Creek - headwaters to Smackover Creek, year round D.O. criteria - 2 mg/l (GC-2, #2)

Unnamed tributary to Flat Creek - from headwaters to Flat Creek, year round D.O. criteria - 2 mg/l (GC-2, #4)

Dodson Creek - from headwaters to confluence with Saline River, critical season D.O. standard - 3 mg/l (GC-4, #5)

Jug Creek - from headwaters to confluence with Moro Creek, critical season D.O. standard - 3 mg/l (GC-2, #6)

Lick Creek - from headwaters to Millwood Reservoir, critical season D.O. standard - 2 mg/l (GC-1, #7)

Coffee Creek and Mossy Lake - exempt from §2.406 and Chapter Five (GC-3, #8)

Red River from Oklahoma to confluence with Little River - total dissolved solids - 850 mg/l (GC-1, #9)

Bluff Creek and unnamed trib. - sulfates 651 mg/l; total dissolved solids 1033 mg/l(GC-1,#10)

Muddy Fork Little Missouri River - sulfates 250 mg/l; total dissolved solids 500 mg/l(GC-1,#24)

Little Missouri River - sulfates 90 mg/l; total dissolved solids 180 mg/l(GC-1,#25)

Mine Creek from Highway 27 to Millwood Lake - chlorides - 90 mg/l; sulfates - 65 mg/l; TDS - 700 mg/l (GC-1, #11)

Caney Creek - chlorides 113 mg/l; sulfates 283 mg/l; total dissolved solids 420 mg/l(GC-1,#12)

Bois d'Arc Creek from Caney Creek to Red River - chlorides 113 mg/l; sulfates 283 mg/l; dissolved solids 420 mg/l(GC-1,#13)

Town Creek below Acme tributary - sulfates 200 mg/l; TDS 700 mg/l(GC-4,#14)

Unnamed trib. from Acme - sulfates 330 mg/l; TDS 830 mg/l(GC-4,#14)

Gum Creek - chlorides 104 mg/L; TDS 311 mg/L(GC-2,#15)

Bayou de Loutre from Gum Creek to State line - Chlorides 250 mg/l; TDS solids 750 mg/l(GC-2,#16)

Walker Branch - chlorides 180 mg/l; total dissolved solids 970 mg/l(GC-2,#17)

Ouachita River - from Ouachita River mile(ORM) 223 to the Arkansas-Louisiana border(ORM 221.1),site specific seasonal D.O.criteria: 3 mg/L June and July; 4.5 mg/L August; 5 mg/L September through May. These seasonal criteria may be unattainable during or following naturally occurring high flows,(i.e., river stage above 65 feet measured at the lower gauge at the Felsenthal Lock and Dam, Station No.89-o, and also for the two weeks following the recession of flood waters below 65 feet), which occurs from May through August. Naturally occurring conditions which fail to meet criteria should not be interpreted as violations of these criteria (GC-3,#26)

Alcoa unnamed trib. to Hurricane Cr. And Hurricane Cr. - see Sec 2.511(CG-4.#19)

Holly Creek - See Sec. 2.511(CG-4,#20)

Saline River bifurcation - see Sec. 2.511(GC-4,#23)

Dry Lost Creek and tributaries - see Sec.2.511(GC-4,#21)

Lost Creek - see Sec.2.511(GC-4,#22)

Albemarle unnamed trib (AUT) to Horsehead Creek - chlorides 137 mg/l; TDS 383 mg/l(GC-2,#27)

Horsehead Creek from AUT to mouth - chlorides 85 mg/l; TDS 260 mg/l(GC-2,#27)

Bayou Dorcheat - sulfates 16 mg/l(GC-2,#27)

* Increase over natural temperatures may not be more than 2.8°C (5°F).

** At water temperatures ≤10°C or during March, April and May when stream flows are 15 CFS and greater, the primary season D.O. standard will be 6.5 mg/l. When water temperatures exceed 22°C, the critical season D.O. standard may be depressed by 1 mg/l for no more than 8 hours during a 24-hour period.

Dismukes Creek - chlorides 26 mg/L; TDS 157 mg/L
Big Creek from Dismukes to Bayou Dorcheat - chlorides 20 mg/L; TDS 200 mg/L
Bayou de Loutre from Great Lakes outfall to Loutre Creek - maximum water temperature 96°F

Plate GC-1 (Gulf Coastal Plain)




Plate GC-2 (Gulf Coastal Plain)






Plate GC-4 (Gulf Coastal Plain)




LEGEND

-  - Ecological y Sensitive Waterbodies
-  * Trout * - Trout Waters
-  - Extraordinary Resource Waters
-  - Natural and Scenic Waterways
-  - Variation by UAA



Index to Plates of the Delta



DESIGNATED USES: DELTA ECOREGION

(Plates D-1, D-2, D-3, D-4)

Extraordinary Resource Waters

Second Creek (D-4)
Cache River above Cache Bayou - adjacent to natural areas (D-3)
Arkansas River below Dam #2 (D-5)
Strawberry River (D-1)
Two Prairie Bayou adjacent to natural areas (D-3)

Natural and Scenic Waterways

None

Ecologically Sensitive Waterbodies

Lower St. Francis River and lower 10 miles of Straight Slough - location of fat pocketbook mussel (D-2, D-4)
Right Hand Chute at confluence with St. Francis River - location of fat pocketbook mussel (D-2)
Departee Creek - location of flat floater mussel (D-1)
Black River at mouth of Spring River - location of pink mucket mussel (D-1)

Primary Contact Recreation - all streams with watersheds of greater than 10 mi² and all lakes/reservoirs

Secondary Contact Recreation - all waters

Domestic, Industrial and Agricultural Water Supply - all waters

Fisheries

Trout - none

Lakes and Reservoirs - all

Streams

Seasonal Delta fishery - all streams with watersheds of less than 10 mi² except as otherwise provided in §2.505

Perennial Delta fishery - all streams with watersheds 10 mi² or larger and those waters where discharges equal or exceed 1 CFS

Use Variation Supported by UAA

Unnamed ditch to Little Lagrue Bayou - perennial Delta fishery (D-3, #1)
Little Lake Bayou - seasonal Delta fishery; no primary contact (D-5, #2)
Coon Creek and unnamed tributary from Frit Ind. - no domestic water supply use (D-1, #3)
Rocky Branch Creek and Bayou Meto from Rocky Branch Creek to Bayou Two Prairie - no domestic water supply use (D-3 #4)

SPECIFIC STANDARDS: DELTA ECOREGION

(Plates D-1, D-2, D-3, D-4)

| | <u>Least-Altered Streams</u> | <u>Channel-Altered Streams</u> | <u>Lakes and Reservoirs</u> |
|---|----------------------------------|------------------------------------|---------------------------------|
| Temperature* °C (°F) | 30 (86) | 32 (89.6) | 32 (89.6) |
| White River | 32 (89.6) | | |
| St. Francis River | 32 (89.6) | | |
| Mississippi River | 32 (89.6) | | |
| Arkansas River | 32 (89.6) | | |
| Turbidity (NTU) | 45 | 75 | 25 |
| Arkansas River | 50 | | |
| Mississippi River | 50 | | |
| St. Francis River | 75 | | |
| Minerals | see §2.511 | see §2.511 | see §2.511 |
| Dissolved Oxygen** (mg/l) | <u>Pri.</u> <u>Crit.</u> | <u>Pri.</u> <u>Crit.</u> | see §2.505 |
| <10 mi ² watershed | 5 2 | 5 2 | |
| 10 mi ² to 100 mi ² | 5 3 | 5 3 | |
| >100 mi ² watershed | 5 5 | 5 5 | |
| All other standards | (same as statewide) | | |

Variations Supported by UAA

Unnamed ditch to Little Lagrue Bayou - from headwaters to confluence with Little Lagrue Bayou,
critical season D.O. standard - 3 mg/l (D-3, #1)

Little Lake Bayou - critical season D.O. standard - 2 mg/l (D-5, #2)


Unnamed tributary from Frit Ind, to Coon Creek - sulfates 48 mg/l (D-1, #3)

Rocky Branch Creek and Bayou Meto from Rocky Branch Creek to Bayou Two Prairie - chlorides 64 mg/l (D-3, #4)



* Increase over natural temperatures may not be more than 2.8°C (5°F).

** At water temperature of 10°C or lower the primary season D.O. standard will be 6.5 mg/l. When water temperatures exceed 22°C, the critical season D.O. standards may be depressed by 1 mg/l for no more than 8 hours during a 24-hour period.

Plate D-1 (Delta)



LEGEND

-  - Ecologically Sensitive Waterbodies
-  * Trout * - Trout Waters
-  - Extraordinary Resource Waters
-  - Natural and Scenic Waterways
-  - Variation by UAA




Plate D-2 (Delta)







Plate D-4 (Delta)



LEGEND

-  - Ecologically Sensitive Waterbodies
-  - Trout Waters
-  - Extraordinary Resource Waters
-  - Natural and Scenic Waterways
-  - Variation by UAA

Arkansas Pollution Control and Ecology Commission

Regulation 2



APPENDIX B

Environmental Improvement Projects

Stricken language would be deleted from present law. Underlined language would be added to present law.

1 State of Arkansas
2 81st General Assembly
3 Regular Session, 1997
4

As Engrossed: S2/21/97
A Bill

ACT 401 OF 1997
HOUSE BILL 1563

5 *By: Representatives Sheppard, Wallis, Lancaster, Johnson, and Horn*
6 *By: Senator Mahony*
7

For An Act To Be Entitled

9 "AN ACT TO ENCOURAGE LONG-TERM ENVIRONMENTAL PROJECTS; AND
10 FOR OTHER PURPOSES."

Subtitle

13 "AN ACT TO ENCOURAGE LONG-TERM
14 ENVIRONMENTAL PROJECTS."
15

16 BE IT ENACTED BY THE GENERAL ASSEMBLY OF THE STATE OF ARKANSAS:
17

18 SECTION 1. Legislative Findings and Intent.

19 The General Assembly hereby finds that many areas of the state would
20 benefit from long-term environmental remediation projects that significantly
21 improve the effects caused by industrial or extractive activities. However,
22 commitments by private enterprise to remedy such damages are discouraged by the
23 prospect of civil liability based upon rigid application of state water quality
24 standards to the enterprises activities. The purpose of this act is to preserve
25 the states approach to establishing water quality standards, while also
26 encouraging private enterprises to make significant improvements to closed or
27 abandoned sites that are of such magnitude that more than three (3) years will
28 be required to complete the project.

30 SECTION 2. Definitions and Applicability.

31 For the purposes of this act:

32 (1) "Long-term Improvement Project" or "Project" means any remediation
33 or reclamation project at closed or abandoned:

34 (A) Mineral Extraction Sites;

- 1 (B) Solid Waste Management Units as defined pursuant to the
- 2 Arkansas Hazardous Waste Management Act;
- 3 (C) Oil and Gas Extraction Sites;
- 4 (D) Brownfield Sites as defined in Act 125 of 1995 or as may be
- 5 amended; and
- 6 (E) Hazardous Substance Sites listed on the National Priority List
- 7 (42 U.S.C. Section 9605), or State Priority List (Arkansas Code 8-7-509(e), or
- 8 as may be amended.

9 (2) "Water Quality Standard" means standards developed through

10 administrative rulemaking by the Commission;

11 (3) "Commission" means the Arkansas Pollution Control and Ecology

12 Commission; and

13 (4) "Department" means the Arkansas Department of Pollution Control and

14 Ecology.

15

16 SECTION 3. Procedures for approval of environmental projects, contents

17 of applications, and public notice.

18 (a) A petitioner seeking approval of a change in water quality standards

19 to accommodate a long-term environmental improvement project shall file with the

20 Department a Notice of Intent, which includes as a minimum:

21 (1) A description of the water body or stream segment affected by

22 the project;

23 (2) The existing ambient water quality for the use of criteria at

24 issue;

25 (3) The affected water quality standard;

26 (4) The modifications sought;

27 (5) The proposed remediation activities;

28 (6) A proposed Remediation Plan, which shall contain:

29 (A) A description of the existing conditions, including

30 identification of the conditions limiting the attainment of the water quality

31 standards;

32 (B) A description of the proposed water quality standard

33 modification, both during and post project;

34 (C) A description of the proposed remediation plan; and

35 (D) The anticipated collateral effects, if any, of the

36 Remediation Plan; and

1 (7) A schedule for implementing the Remediation Plan that ensures
2 that the post project water quality standards are met as soon as reasonably
3 practicable.

4 (b) The department shall cause notice of the proposed project and
5 associated water quality standard changes described in subsection (a) to be
6 published for public notice and comment in the same manner as provided for
7 permit applications in Arkansas Code 8-4-203(b), and shall advise the public
8 that the details of the proposed project are available for public review.

9 (c) After considering comments from the public, the department shall
10 notify the petitioner as to whether the proposed project is approved or
11 denied. The department may deny approval of a project if it reasonably
12 concludes that the plan is not complete, the plan is not technically sound,
13 the schedule is unrealistic, the plan will not have an overall beneficial
14 effect for the environment, or other appropriate reasons. Any department
15 determination on the approval or denial of a project is subject to the appeal
16 procedures applicable to permitting decisions set out in Arkansas Code
17 8-4-205.

18 (d) Upon approval of the project for further development, the
19 petitioner shall prepare documentation required for third-party rulemaking by
20 Arkansas Code 8-4-202 and established in administrative procedures.

21

22 SECTION 4. Modification of Water Quality Standards.

23 (a) The commission may approve a modification where the water quality
24 standard is not being maintained due to conditions which may, in part or in
25 whole, be corrected through the implementation of long-term measures. The
26 commission shall establish such subcategory of use and modify such general and
27 specific standards as it deems appropriate to reflect such modification while
28 ensuring that the fishable/swimmable use is maintained. In all water quality
29 standard changes associated with long-term environmental projects, the
30 remedial action plan described in subsection (a) of Section 3 of this act
31 shall be incorporated by reference in the statement of basis and purpose of
32 the rule and shall be considered an essential condition of the modified water
33 quality standard.

34 (b) Once the commission approves a water quality standard modification,
35 the department shall ensure that conditions and limitations designed to
36 achieve compliance with the plan are established in applicable discharge

1 permits, consent administrative orders, or such other enforcement measures
2 deemed appropriate by the department. The department may allow modifications
3 by the petitioner to the remediation plan and schedule as is deemed
4 appropriate, provided that any such modifications to the original remedial
5 action plan shall not render the project significantly less protective of the
6 applicable use subcategory. Should the department find that the petitioner is
7 not acting in good faith to complete the project in accordance with the
8 approved plan, applicable and appropriate enforcement authority may be
9 exercised subject to appeal to the commission.

10 (c) The department or the petitioner shall report annually to the
11 commission on the progress of the project.

12

13 SECTION 5. Project Completion.

14 At the end of the project the post project water quality standards shall
15 be in full force and effect.

16

17 SECTION 6. All provisions of this act of a general and permanent nature
18 are amendatory to the Arkansas Code of 1987 Annotated and the Arkansas Code
19 Revision Commission shall incorporate the same in the Code.

20

21 SECTION 7. If any provision of this act or the application thereof to
22 any person or circumstance is held invalid, such invalidity shall not affect
23 other provisions or applications of the act which can be given effect without
24 the invalid provision or application, and to this end the provisions of this
25 act are declared to be severable.

26

27 SECTION 8. All laws and parts of laws in conflict with this act are
28 hereby repealed.

29

30

31

32

/s/Sheppard et al

33

APPROVED:3-07-97


34

35

36

Arkansas Pollution Control and Ecology Commission

Regulation 2



APPENDIX C

Scientific Names of Fishes

APPENDIX C: SCIENTIFIC NAMES OF FISHES

| <u>Common Name</u> | <u>Species</u> | <u>Family</u> |
|-----------------------|--------------------------------|-----------------|
| Banded sculpin | <i>Cottus carolinae</i> | Cottidae |
| Banded pygmy sunfish | <i>Elassoma zonatum</i> | Elassomatidae |
| Bigeye shiner | <i>Notropis boops</i> | Cyprinidae |
| Black redhorse | <i>Moxostoma duquesnei</i> | Catostomidae |
| Blackside darter | <i>Percina maculata</i> | Percidae |
| Blacktail redhorse | <i>Moxostoma poecilurum</i> | Catostomidae |
| Blacktail shiner | <i>Notropis venustus</i> | Cyprinidae |
| Bluegill | <i>Lepomis macrochirus</i> | Centrarchidae |
| Bluntnose minnow | <i>Pimephales notatus</i> | Cyprinidae |
| Bluntnose darter | <i>Etheostoma chlorosomum</i> | Percidae |
| Carp | <i>Cyprinus carpio</i> | Cyprinidae |
| Channel catfish | <i>Ictalurus punctatus</i> | Ictaluridae |
| Creek chubsucker | <i>Erimyzon oblongus</i> | Catostomidae |
| Creole darter | <i>Etheostoma collettei</i> | Percidae |
| Drum | <i>Aplodinotus grunniens</i> | Sciaenidae |
| Dusky darter | <i>Percina sciera</i> | Percidae |
| Duskystripe shiner | <i>Luxilus pilsbryi</i> | Cyprinidae |
| Emerald shiner | <i>Notropis atherinoides</i> | Cyprinidae |
| Fantail darter | <i>Etheostoma flabellare</i> | Percidae |
| Flier | <i>Centrarchus macropterus</i> | Centrarchidae |
| Freckled madtom | <i>Noturus nocturnus</i> | Ictaluridae |
| Gizzard shad | <i>Dorosoma cepedianum</i> | Clupeidae |
| Golden redhorse | <i>Moxostoma erythrurum</i> | Catostomidae |
| Grass pickerel | <i>Esox americanus</i> | Esocidae |
| Gravel chub | <i>Hybopsis X-punctata</i> | Cyprinidae |
| Green sunfish | <i>Lepomis cyanellus</i> | Centrarchidae |
| Greenside darter | <i>Etheostoma blennioides</i> | Percidae |
| Largemouth bass | <i>Micropterus salmoides</i> | Centrarchidae |
| Longear sunfish | <i>Lepomis megalotis</i> | Centrarchidae |
| Longnose darter | <i>Percina nasuta</i> | Percidae |
| Madtoms | <i>Noturus sp.</i> | Ictaluridae |
| Mosquitofish | <i>Gambusia affinis</i> | Poeciliidae |
| Northern hogsucker | <i>Hypentelium nigricans</i> | Catostomidae |
| Northern studfish | <i>Fundulus catenatus</i> | Cyprinodontidae |
| Orangebelly darter | <i>Etheostoma radiosum</i> | Percidae |
| Orangespotted sunfish | <i>Lepomis humilis</i> | Centrarchidae |
| Orangethroat darter | <i>Etheostoma spectabile</i> | Percidae |
| Ozark madtom | <i>Noturus albater</i> | Ictaluridae |
| Ozark minnow | <i>Notropis nubilus</i> | Cyprinidae |
| Pirate perch | <i>Aphredoderus sayanus</i> | Aphredoderidae |
| Pugnose minnow | <i>Notropis emiliae</i> | Cyprinidae |
| Rainbow darter | <i>Etheostoma caeruleum</i> | Percidae |

SCIENTIFIC NAMES OF FISHES, cont.

| <u>Common Name</u> | <u>Species</u> | <u>Family</u> |
|------------------------|--------------------------------|---------------|
| Redfin darter | <i>Etheostoma whipplei</i> | Percidae |
| Redfin shiner | <i>Lythrurus umbratilis</i> | Cyprinidae |
| Ribbon shiner | <i>Lythrurus fumeus</i> | Cyprinidae |
| "Rock basses" | <i>Ambloplites sp.</i> | Centrarchidae |
| Scaly sand darter | <i>Ammocrypta vivax</i> | Percidae |
| Shadow bass | <i>Ambloplites ariommus</i> | Centrarchidae |
| Slender madtom | <i>Noturus exilis</i> | Ictaluridae |
| Slough darter | <i>Etheostoma gracile</i> | Percidae |
| Smallmouth bass | <i>Micropterus dolomieu</i> | Centrarchidae |
| Smallmouth buffalo | <i>Ictiobus bubalus</i> | Catostomidae |
| Southern redbelly dace | <i>Phoxinus erythrogaster</i> | Cyprinidae |
| Spotted bass | <i>Micropterus punctulatus</i> | Centrarchidae |
| Spotted sucker | <i>Minytrema melanops</i> | Catostomidae |
| Spotted sunfish | <i>Lepomis punctatus</i> | Centrarchidae |
| Spotted gar | <i>Lepisosteus oculatus</i> | Lepisosteidae |
| Striped shiner | <i>Notropis chrysocephalus</i> | Cyprinidae |
| Tadpole madtom | <i>Noturus gyrinus</i> | Ictaluridae |
| Warmouth | <i>Lepomis gulosus</i> | Centrarchidae |
| Wedgespot shiner | <i>Notropis greenei</i> | Cyprinidae |
| Whitetail shiner | <i>Notropis galacturus</i> | Cyprinidae |
| Yellow bullhead | <i>Ameiurus natalis</i> | Ictaluridae |