

**ARKANSAS SCHOOL FACILITY MANUAL  
PROGRAM OF REQUIREMENTS (POR)  
SUMMARY AND REQUIRED SPACES**

Form Printed  
6/18/2015

SCHOOL DISTRICT													
SCHOOL NAME				USER DOCUMENTATION -									
PROJECT NAME				RUN BY:									
PROJECT NUMBER				DATE:									
<b>1. NUMBER OF STUDENTS</b> Enter maximum projected number of students during next ten years													
Kindergarten		Grade 7		<b>2. KITCHEN</b>		School may have warming kitchen or full service kitchen							
Grade 1		Grade 8		Select from menu below YES or NO if school will have warming kitchen									
Grade 2		Grade 9		Warming Kitchen	NO								
Grade 3		Grade 10		Full Service Kitchen	YES								
Grade 4		Grade 11		<b>3. MULTI-STORY SCHOOL</b>									
Grade 5		Grade 12		Select from menu if school is multi-story									
Grade 6		TOTAL	0			NO - Single Story							
				<b>4. TOTAL SPACE EXISTING CAMPUS</b>		0		Gross Square Feet					
<b>TOTAL REQUIRED SPACES</b>				0		Square Feet							
<b>SUPPORT SPACE ALLOWANCE</b>				0		Square Feet							
<b>TOTAL REQUIRED + SUPPORT SPACE ALLOWANCE</b>				0		Square Feet		TOTAL SPACES (sum)		0		Square Feet	
<b>10% CONSTRUCTION FACTOR</b>				0.10				NEW SPACES (sum)		0		Square Feet	
<b>TOTAL REQUIRED/FUNDED SQUARE FOOTAGE</b>				0		Square Feet							
REQUIRED SPACES		STANDARD	REQUIRED SPACES		NEW SPACES		EXISTING SPACES (in their final configuration)		TOTAL SPACES (NEW + EXISTING)		REQUIRED SPACES CHECK		
Space	SF	Qty	AREA	Qty	AREA	Qty	AREA	Qty	AREA	Qty	AREA	Qty	AREA
<b>ACADEMIC CORE</b>													
E-AC-3	Kindergarten Classroom	1000	0	0						0	0	0	0
E-AC-4	Kindergarten Restroom	45	0	0						0	0	0	0
E-AC-5a	Elem Classroom Grades 1-3	850	0	0						0	0	0	0
E-AC-5b	Elem Classroom Grades 4-5	850	0	0						0	0	0	0
M-AC-1a	MS Classroom Grade 6	850	0	0						0	0	0	0
M-AC-1b	MS Classroom Grades 7-8	850	0	0						0	0	0	0
M-CE 1	Career Education	1,300	0	0						0	0	0	0
H-AC-1	HS Classroom	850	0	0						0	0	0	0
H-AC-2	Science Clrm/Lab-Gen/Physics	1,440	0	0						0	0	0	0
H-AC-3	Science Clrm/Lab-Chemistry	1,440	0	0						0	0	0	0
H-AC-4	Science Clrm/Lab-Biol/Life Sci	1,440	0	0						0	0	0	0
H-AC-5	Science Prep	300	0	0						0	0	0	0
H-AC-11	Chemical Storage	150	0	0						0	0	0	0
H-AC-12	Multi-Use Room	1,500	0	0						0	0	0	0
H-AC-13	Instructional Multi-Purpose Rm	850	0	0						0	0	0	0
H-AC-8	Project Lab/Classroom	1,100	0	0						0	0	0	0
E-MC-1	Reading Room/Circulation	0	0	0						0	0	0	0
E-MC-4	Computer Lab	900	0	0						0	0	0	0
M/H-MC-1	Reading Room/Circulation	0	0	0						0	0	0	0
M-MC-4	Media Center Computer Lab	900	0	0						0	0	0	0
E-VA-1	Art Room	1200	0	0						0	0	0	0
E-VA-3	Art Material Storage	80	0	0						0	0	0	0
E-AC-10	Fine Arts Instruction Room	1,200	0	0						0	0	0	0
E-AC-11	Fine Arts Instruction Storage	100	0	0						0	0	0	0
M-VA-1	Art Room	1200	0	0						0	0	0	0
H-VA-1	Art Room	1200	0	0						0	0	0	0
M/H-VA-3	Art Material Storage	100	0	0						0	0	0	0
E-MU-1	Music Room	1,200	0	0						0	0	0	0
E-MU-2	Music Storage	100	0	0						0	0	0	0
M-MU-2	Music Storage	100	0	0						0	0	0	0
M/H-MU-1	Instrumental Room	1,400	0	0						0	0	0	0
H-MU-2	Instrument Storage	200	0	0						0	0	0	0
M-MU-8	Vocal Room	1,200	0	0						0	0	0	0
H-MU-8	Vocal Room	1,200	0	0						0	0	0	0
H-MU-9	Vocal Storage	150	0	0						0	0	0	0
E-PE-1	PE Area	2500	0	0						0	0	0	0
M-PE-1	PE Area	4000	0	0						0	0	0	0
H-PE-1	PE Area	6000	0	0						0	0	0	0
H-PE-3	Student Locker Room	400	0	0						0	0	0	0
H-PE-4	Student Restroom/Shower	150	0	0						0	0	0	0
H-CE	Career Education Program One	Varies	0	0	0	0	0	0	0	0	0	0	0
H-CE	Career Education Program Two	Varies	0	Varies									
H-CE	Career Education Program Three	Varies	0	Varies									
<b>SPECIAL EDUCATION</b>													
E/M/H-SE-1	Self-contained Classroom	850	1	850						0	0	-1	-850
E/M/H-SE-2	Workroom/Conference	150	1	150						0	0	-1	-150
E/M/H-SE-3	Restroom/Shower	100	1	100						0	0	-1	-100
E/M/H-SE-4	Special Education/Resource	450	1	450						0	0	-1	-450
E/M/H-SE-5	Speech Therapy	475	1	475						0	0	-1	-475
E/M/H-SE-7	OT/PT	350	1	350						0	0	-1	-350
E-GT-1	Gifted and Talented	850	0	0						0	0	0	0
<b>ADMINISTRATIVE SPACES</b>													
E/M/H-AD-3	Principal's Office	150	1	150						0	0	-1	-150
E/M/H-AD-4	Assistant Principal's Office	120	0	0						0	0	0	0
E/M/H-AD-11	Guidance Counselor's Office	120	1	120						0	0	-1	-120
E/M/H-AD-15	Health Center	250	1	250						0	0	-1	-250
E/M/H-AD-20	Health Center Restroom	45	1	45									
<b>PERFORMING ARTS</b>													
H-PA-1	Auditorium	1500	0	0						0	0	0	0
H-PA-3	Stage Area (includes wings)	600	0	0						0	0	0	0



# SUITABILITY ANALYSIS

Form Printed  
6/18/2015

SUITABILITY ANALYSIS				
BY:	0			
DATE:	1/0/1900			
<b>(CHOOSE CORRECT PROJECT TYPE)</b>				
FOR ADDITION PROJECT	YES			
FOR NEW SCHOOL IN DISTRICT	NO			
SCHOOL DISTRICT			0	
SCHOOL NAME			0	
PROJECT NAME			0	
PROJECT NUMBER			0	
	Existing Size (GROSS SF)		POR Allowance (SF)	Difference
TOTAL SCHOOL/CAMPUS	0		0	0
SINGLE-PURPOSE AREAS	<b>2008 or Before</b>	<b>After 2008</b>		<b>2008 or Before</b>
Physical Education	0	0	0	0
Media Center	0	0	0	0
Student Dining	0	0	0	0
Performing Arts	0	0	0	0
	<b>TOTAL SUITABILITY NEED (GROSS SF)</b>			<b>0</b>
	<b>FOR STATE FINANCIAL PARTICIPATION</b>			
NOTES			District Inputs	
			From POR Summary Sheet	
			Suitability Analysis Computes	
			State Participation Area or Excess Area in Gross SF	

**ARKANSAS SCHOOL FACILITY MANUAL  
PROGRAM OF REQUIREMENTS  
SCHOOL SUPPORT SPACES (NOT REQUIRED)**

Form Printed  
6/18/2015

<b>SCHOOL DISTRICT</b>		0		
<b>SCHOOL NAME</b>		0		
<b>PROJECT NAME</b>		0		
<b>PROJECT NUMBER</b>		0		
	<b>ONLY ENTER NEW SPACES INCLUDED IN THE PROJECT SUPPORT SPACES (NOT REQUIRED)</b>	<b>SUGGESTED SF</b>	<b>Qty</b>	<b>AREA</b>
	<b>ACADEMIC CORE</b>			
E-AC-6	Teacher Prep Area/Workroom	150		
E-AC-7	Individual Restroom	50		
E-AC-8	Instructional Material Storage	100		
E-AC-9	Instructional Multi-purpose	850		
E-MC-2	Media Specialist Office	100		
E-MC-3	Media Center Workroom/Storage	100		
E-MC-5	A/V Storage	50		
E-MC-6	Conference Room	200		
E-VA-2	Kiln/Ceramic Storage	100		
E-PE-2	P. E. Workroom/Storage	100		
M-AC-2	Project Lab/Classroom	1100		
M-AC-3	Teacher Prep Area/Workroom	200		
M-AC-4	Individual Restroom	50		
M-AC-5	Instructional Material Storage	120		
M-AC-6	Small Group Room	150		
M-AC-7	Instructional Multi-purpose Room	850		
M-MC-2	Media Specialist Office	120		
M-MC-3	Media Center Workroom/Storage	150		
M-MC-5	Media Center A/V Storage	80		
M-MC-6	Media Center Conference Room	150		
M-MC-7	Multimedia Production Room	300		
M-VA-2	Kiln/Ceramic Storage	100		
M-MU-3	Music Office	120		
M-MU-4	Music Library	120		
M-CE-2	Career Education Production Lab	1300		
M-CE-3	Career Education Storage	150		
M-FCS-1	Life Skills Lab	1100		
M-FCS-2	Life Skills Storage	100		
M-PE-2	P.E./Athletic Office	75		
M-PE-3	Staff Shower	75		
M-PE-4	Student Locker Room	350		
M-PE-5	Student Restroom/Shower	150		
M-PE-6	Physical Education Storage	200		
H-AC-6	Teacher Prep Area/Workroom	300		
H-AC-7	Individual Restroom	50		
H-AC-9	Small Group Room	150		
H-AC-10	Instructional Material Storage	150		
H-MC-2	Media Specialist Office	120		
H-MC-3	Workroom/Storage	150		
H-MC-4	A/V Storage	75		
H-MC-5	Conference Room	250		
H-MC-6	Multimedia Production Room	400		
H-MC-7	Document Storage	60		
H-VA-2	Kiln/Ceramic Storage	100		
H-MU-3	Instrument Repair Room	100		
H-MU-4	Orchestra Storage	100		
H-MU-5	Instrumental Music Library	120		
H-MU-6	Instrumental Office	120		
H-MU-7	Uniform Storage	100		
H-MU-10	Vocal Music Library	120		

**ARKANSAS SCHOOL FACILITY MANUAL  
PROGRAM OF REQUIREMENTS  
SCHOOL SUPPORT SPACES (NOT REQUIRED)**

Form Printed  
6/18/2015

<b>SCHOOL DISTRICT</b>		0		
<b>SCHOOL NAME</b>		0		
<b>PROJECT NAME</b>		0		
<b>PROJECT NUMBER</b>		0		
<b>ONLY ENTER NEW SPACES INCLUDED IN THE PROJECT SUPPORT SPACES (NOT REQUIRED)</b>		<b>SUGGESTED SF</b>	<b>Qty</b>	<b>AREA</b>
H-MU-11	Vocal Office	120		
H-MU-12	Ensemble Room	150		
H-MU-13	Practice Room	80		
H-MU-14	Restroom	50		
H-PE-2	Auxiliary Gymnasium	4,000		
H-PE-5	Physical Education Storage	200		
H-PE-6	P.E./Athletic Office	75		
H-PE-7	Staff Shower	75		
H-PE-8	Athletic Director's Office	120		
H-PE-9	Lobby Services	100		
H-PE-10	Training Room	200		
H-PE-11	Physical Health Classroom	850		
H-PE-12	Multi-use P.E. Room	2,400		
<b>SPECIAL EDUCATION</b>				
E-SE-6	Storage	80		
M-SE-6	Storage	100		
H-SE-6	Storage	100		
<b>ADMINISTRATIVE SPACES</b>				
E-AD-1	Reception Area	150		
E-AD-2	Secretarial Area	150		
E-AD-5	Conference Room	150		
E-AD-6	Mail/Work/Copy Room	150		
E-AD-7	Administrative Storage	80		
E-AD-8	Vault/Records Storage	50		
E-AD-9	In-school Suspension	450		
E-AD-10	Restroom	50		
E-AD-12	Guidance Reception	120		
E-AD-13	Guidance Records/Storage	50		
E-AD-14	Parent Center	300		
E-AD-16	Itinerant Personnel Office	100		
E-AD-17	Family Restroom	80		
M-AD-1	Reception Area	150		
M-AD-2	Secretarial Area	150		
M-AD-5	Conference Room	150		
M-AD-6	Mail/Work/Copy Room	150		
M-AD-7	Administrative Storage	75		
M-AD-8	Vault/Records Storage	50		
M-AD-9	In-school Suspension	350		
M-AD-10	Restroom	50		
M-AD-12	Guidance Reception	120		
M-AD-13	Guidance Records/Storage	50		
M-AD-14	Parent Center	400		
M-AD-16	Itinerant Personnel Office	120		
M-AD-17	Family Restroom	80		
H-AD-1	Reception Area	150		
H-AD-2	Secretarial Area	150		
H-AD-5	Conference Room	200		
H-AD-6	Mail/Work/Copy Room	150		
H-AD-7	Administrative Storage	100		

**ARKANSAS SCHOOL FACILITY MANUAL  
PROGRAM OF REQUIREMENTS  
SCHOOL SUPPORT SPACES (NOT REQUIRED)**

Form Printed  
6/18/2015

<b>SCHOOL DISTRICT</b>		0		
<b>SCHOOL NAME</b>		0		
<b>PROJECT NAME</b>		0		
<b>PROJECT NUMBER</b>		0		
<b>ONLY ENTER NEW SPACES INCLUDED IN THE PROJECT SUPPORT SPACES (NOT REQUIRED)</b>		<b>SUGGESTED SF</b>	<b>Qty</b>	<b>AREA</b>
H-AD-8	Vault/Records Storage	50		
H-AD-9	In-school Suspension	450		
H-AD-10	Restroom	50		
H-AD-12	Guidance Records/Storage	80		
H-AD-13	Guid. Conference Rm/Group Procedures Rm	250		
H-AD-14	Guidance Reception and Display Area	120		
H-AD-15	Parent Center	450		
H-AD-17	Itinerant Personnel Office	120		
H-AD-18	Career Center	500		
H-AD-19	Family Restroom	80		
<b>FOOD SERVICE</b>				
E-SD-2	Stage	900		
E-SD-3	Staff Dining	250		
E-SD-4	Table Storage	200		
E-FS-3	Dietician Office	75		
E-FS-4	Restroom	50		
E-FS-5	Locker Room	100		
M-SD-2	Stage	1000		
M-SD-3	Staff Dining	400		
M-SD-4	Table Storage	200		
M-FS-3	Dietician Office	75		
M-FS-4	Restroom	50		
M-FS-5	Locker Room	50		
H-FS-3	Dietician Office	75		
H-FS-4	Restroom	50		
H-FS-5	Locker Room	125		
<b>PERFORMING ARTS</b>				
H-PA-2	Orchestra Pit [with cover]	300		
H-PA-4	Scene Shop	400		
H-PA-5	Scene Shop Storage	250		
H-PA-6	Make-up/Dressing Room	100		
H-PA-7	Green Room	300		
H-PA-8	Costume Storage	150		
H-PA-9	Control Room	100		
H-PA-10	Lobby/Concessions/Gallery	200		
H-PA-11	Ticket Booth	80		
H-PA-12	Theatre/Drama Office	100		
H-PA-13	Storage	200		
<b>BUILDING SERVICES</b>				
E-CU-2	Custodial Office	80		
M-CU-2	Custodial Workroom	63		
H-CU-2	Custodial Workroom	125		

**ARKANSAS SCHOOL FACILITY MANUAL  
PROGRAM OF REQUIREMENTS  
SCHOOL SUPPORT SPACES (NOT REQUIRED)**

Form Printed  
6/18/2015

<b>SCHOOL DISTRICT</b>		0		
<b>SCHOOL NAME</b>		0		
<b>PROJECT NAME</b>		0		
<b>PROJECT NUMBER</b>		0		
	<b>ONLY ENTER NEW SPACES INCLUDED IN THE PROJECT</b>			
	SUPPORT SPACES (NOT REQUIRED)	<b>SUGGESTED SF</b>	<b>Qty</b>	<b>AREA</b>
		Total area of support spaces		0

**ARKANSAS SCHOOL FACILITY MANUAL  
PROGRAM OF REQUIREMENTS  
CAREER EDUCATION (Required for 9-12)**

Printed on  
6/18/2015

<b>SCHOOL DISTRICT</b>		0	9-12 schools must provide a minimum of three						
<b>SCHOOL NAME</b>		0	Career Education programs. Each program must						
<b>PROJECT NAME</b>		0	contain at least three course offerings. Allowable						
<b>PROJECT NUMBER</b>		0	career education total space is shown on Summary sheet.						
			<b>REQUIRED</b>	<b>NEW SPACES</b>		<b>EXISTING SPACES</b>		<b>TOTAL SPACES (NEW + EXISTING)</b>	
<b>CAREER EDUCATION</b>			<b>SIZE</b>	<b>Qty</b>	<b>AREA</b>	<b>Qty</b>	<b>AREA</b>	<b>Qty</b>	<b>AREA</b>
<b>Agribusiness Systems</b>									
CE-AG-1	Agribusiness Lab		1,500					0	0
<b>Agricultural Power, Structural, &amp; Technical Sys.</b>									
CE-AG-2	Ag Mechanics Lab		3,000					0	0
CE-AG-3	Outdoor Covered Work Area		800					0	0
<b>Agricultural Science - Animal or Plant Sys.</b>									
CE-AG-4	Outdoor Animal Science Lab		1,000					0	0
<b>Horticulture / Plant Systems</b>									
CE-AG-5	Greenhouse		1,800					0	0
CE-AG-6	Cold Frame		800					0	0
CE-AG-7	Shade House		300					0	0
CE-AG-8	Hydroponics Lab		250					0	0
<b>Natural Resources / Environmental Service Sys.</b>									
CE-AG-9	Aquaculture Lab		500					0	0
<b>Related Spaces</b>									
CE-AG-10	Classroom		850					0	0
CE-AG-11	Office		120					0	0
CE-AG-12	Restrooms/Locker Rooms		150					0	0
CE-AG-13	Storage		150					0	0
<b>Business Marketing</b>									
<b>Management</b>									
CE-BM-1	Management Lab		1,500					0	0
<b>Office Administration</b>									
CE-BM-2	Office Administration Lab		1,500					0	0
<b>Hospitality</b>									
CE-BM-3	Hospitality Lab		1,500					0	0
<b>Lodging</b>									
CE-BM-4	Lodging Lab		1,500					0	0
<b>Desktop Publishing</b>									
CE-BM-5	Desktop Publishing Lab		1,500					0	0
<b>Multimedia</b>									
CE-BM-6	Multimedia Lab		1,500					0	0
<b>Programming</b>									
CE-BM-7	Programming Lab		1,500					0	0
<b>Accounting</b>									
CE-BM-8	Accounting Lab		1,500					0	0
<b>Banking &amp; Finance</b>									
CE-BM-9	Banking & Finance Lab		1,500					0	0
<b>Marketing</b>									
CE-BM-10	Marketing Lab		1,500					0	0
<b>Related Spaces</b>									
CE-BM-11	Classroom		850					0	0
CE-BM-12	Office		120					0	0
CE-BM-13	Storage		100					0	0

**ARKANSAS SCHOOL FACILITY MANUAL  
PROGRAM OF REQUIREMENTS  
CAREER EDUCATION (Required for 9-12)**

Printed on  
6/18/2015

<b>SCHOOL DISTRICT</b>		0		9-12 schools must provide a minimum of three					
<b>SCHOOL NAME</b>		0		Career Education programs. Each program must					
<b>PROJECT NAME</b>		0		contain at least three course offerings. Allowable					
<b>PROJECT NUMBER</b>		0		career education total space is shown on Summary sheet.					
			<b>REQUIRED</b>	<b>NEW SPACES</b>		<b>EXISTING SPACES</b>		<b>TOTAL SPACES (NEW + EXISTING)</b>	
	<b>CAREER EDUCATION</b>		<b>SIZE</b>	<b>Qty</b>	<b>AREA</b>	<b>Qty</b>	<b>AREA</b>	<b>Qty</b>	<b>AREA</b>
<b>Family &amp; Consumer Sciences</b>									
CE-FCS-1	Family & Consumer Sciences Lab		1,200					0	0
CE-FCS-2	Food Prep Lab (kitchen units)		600					0	0
CE-FCS-3	Sewing Lab		550					0	0
CE-FCS-4	Fitting Room		150					0	0
CE-FCS-5	Laundry		50					0	0
<b>Consumer Services</b>									
CE-FCS-19	Consumer Services Lab		1,500					0	0
<b>Education &amp; Training</b>									
CE-FCS-6	Education & Training Lab		1,200					0	0
<b>Food Production, Management, &amp; Services</b>									
CE-FCS-7	Food Production, Management, & Services Lab		1,200					0	0
CE-FCS-8	Food Prep Lab (kitchen units)		600					0	0
<b>Facilities Management, Maintenance, &amp; Services</b>									
CE-FCS-9	Facilities Management, Maintenance, & Services Lab		1,200					0	0
<b>Child Care Guidance, Management, &amp; Services</b>									
CE-FCS-10	Child Care Guidance, Management, & Services Lab		1,200					0	0
CE-FCS-11	Laundry		50					0	0
<b>Cosmetology</b>									
CE-FCS-12	Cosmetology Lab		2,500					0	0
<b>Required Spaces in Cosmetology Lab - included in required SF</b>									
CE-FCS-20	Restroom		100						
CE-FCS-21	Reception		250						
CE-FCS-22	Supply		200						
CE-FCS-23	Dispensary		150						
CE-FCS-16	Office		120						
CE-FCS-13	Cosmetology Clinic Area		1,200					0	0
CE-FCS-14	Cosmetology Instruction Area		275					0	0
<b>Related Spaces</b>									
CE-FCS-15	Classroom		850					0	0
CE-FCS-17	Restrooms		150					0	0
CE-FCS-18	Storage		100					0	0
<b>Architecture and Construction Services</b>									
<b>Construction Technology</b>									
CE-ARC-1	Construction Technology Lab		3,000					0	0
<b>HVACR</b>									
CE-ARC-2	HVACR Lab		3,000					0	0
<b>Related Spaces</b>									
CE-ARC-3	Classroom		850					0	0
CE-ARC-4	Office		120					0	0
CE-ARC-5	Storage		200					0	0
<b>ARTS, AV TECHNOLOGY, &amp; COMMUNICATION SPACES</b>									
<b>Advertising Design</b>									
CE-AV-1	Advertising Design Lab		1,500					0	0
<b>Career Communications</b>									
CE-AV-2	Career Communications Lab		1,500					0	0
<b>Commercial Photography</b>									
CE-AV-3	Photography Production Lab		400					0	0

**ARKANSAS SCHOOL FACILITY MANUAL  
PROGRAM OF REQUIREMENTS  
CAREER EDUCATION (Required for 9-12)**

Printed on  
6/18/2015

<b>SCHOOL DISTRICT</b>		0		9-12 schools must provide a minimum of three					
<b>SCHOOL NAME</b>		0		Career Education programs. Each program must					
<b>PROJECT NAME</b>		0		contain at least three course offerings. Allowable					
<b>PROJECT NUMBER</b>		0		career education total space is shown on Summary sheet.					
			<b>REQUIRED</b>	<b>NEW SPACES</b>		<b>EXISTING SPACES</b>		<b>TOTAL SPACES (NEW + EXISTING)</b>	
	<b>CAREER EDUCATION</b>		<b>SIZE</b>	<b>Qty</b>	<b>AREA</b>	<b>Qty</b>	<b>AREA</b>	<b>Qty</b>	<b>AREA</b>
CE-AV-4	Photography Workroom		750					0	0
<b>Graphic Communications</b>									
CE-AV-6	Graphic Communication Work Area		1,800					0	0
<b>Performing Arts</b>									
CE-AV-7	Performing Arts Studio		1,800					0	0
CE-AV-8	Dressing Rooms		750					0	0
CE-AV-9	Performing Arts Storage		250					0	0
<b>Radio / TV Broadcasting</b>									
CE-AV-10	Radio / TV Broadcasting Lab		1,200					0	0
<b>Related Spaces</b>									
CE-AV-11	Classroom		850					0	0
CE-AV-12	Office		120					0	0
CE-AV-13	Storage		200					0	0
<b>Government and Public Education Spaces</b>									
<b>ROTC</b>									
CE-GOV-1	ROTC Lab		3,000					0	0
<b>Related Spaces</b>									
CE-GOV-2	Classroom		850					0	0
CE-GOV-3	Office		120					0	0
CE-GOV-4	Storage		200					0	0
<b>Health Science Spaces</b>									
<b>Medical Professions Education</b>									
CE-HSC-1	Clinic Area		500					0	0
<b>Related Spaces</b>									
CE-HSC-2	Classroom		850					0	0
CE-HSC-3	Office		120					0	0
CE-HSC-4	Storage		200					0	0
<b>Law, Public Safety and Security Spaces</b>									
<b>Criminal Justice</b>									
CE-LAW-1	Criminal Justice Lab (forensics)		1,200					0	0
<b>Related Spaces</b>									
CE-LAW-2	Classroom		850					0	0
CE-LAW-3	Office		120					0	0
CE-LAW-4	Storage		200					0	0
<b>Manufacturing Spaces</b>									
<b>Electronics</b>									
CE-MAN-1	Electronics Lab		2,000					0	0
<b>Furniture Manufacturing</b>									
CE-MAN-2	Furniture Manufacturing Lab		3,000					0	0
<b>Industrial Equipment Maintenance</b>									
CE-MAN-3	Industrial Equipment Lab		3,000					0	0
<b>Machine Tool Technology</b>									
CE-MAN-4	Machine Tool Lab		3,000					0	0
<b>Major Appliance Repair</b>									
CE-MAN-5	Major Appliance Repair Lab		3,000					0	0
<b>Welding</b>									

**ARKANSAS SCHOOL FACILITY MANUAL  
PROGRAM OF REQUIREMENTS  
CAREER EDUCATION (Required for 9-12)**

Printed on  
6/18/2015

<b>SCHOOL DISTRICT</b>		0		9-12 schools must provide a minimum of three					
<b>SCHOOL NAME</b>		0		Career Education programs. Each program must					
<b>PROJECT NAME</b>		0		contain at least three course offerings. Allowable					
<b>PROJECT NUMBER</b>		0		career education total space is shown on Summary sheet.					
			<b>REQUIRED</b>	<b>NEW SPACES</b>		<b>EXISTING SPACES</b>		<b>TOTAL SPACES (NEW + EXISTING)</b>	
	<b>CAREER EDUCATION</b>		<b>SIZE</b>	<b>Qty</b>	<b>AREA</b>	<b>Qty</b>	<b>AREA</b>	<b>Qty</b>	<b>AREA</b>
CE-MAN-6	Welding Lab		3,000					0	0
<b>Related Spaces</b>									
CE-MAN-7	Classroom		850					0	0
CE-MAN-8	Office		120					0	0
CE-MAN-9	Storage		200					0	0
<b>SCIENCE, TECHNOLOGY, ENGINEERING, &amp; MATHEMATICS SPACES</b>									
<b>Drafting &amp; Design</b>									
CE-ENG-1	Drafting & Design Lab		2,000					0	0
<b>Computer Engineering</b>									
CE-ENG-2	Computer Engineering Lab		1,500					0	0
<b>Geospatial Technology (GIS)</b>									
CE-ENG-3	Geospatial Technology (GIS) Lab		1,500					0	0
<b>Pre-Engineering</b>									
CE-ENG-4	Pre-Engineering Lab		1,500					0	0
<b>Related Spaces</b>									
CE-ENG-5	Classroom		850					0	0
CE-ENG-6	Office		120					0	0
CE-ENG-7	Storage		200					0	0
<b>Transportation, Distribution, &amp; Logistics Spaces</b>									
<b>Automotive Collision</b>									
CE-TDL-1	Automotive Collision Repair Lab		4,000					0	0
<b>Automotive Service Technology</b>									
CE-TDL-2	Automotive Service Technology Lab		4,000					0	0
<b>Aviation Mechanics</b>									
CE-TDL-3	Aviation Mechanics Lab		10,000					0	0
CE-TDL-4	Aviation Technology Lab		1,200					0	0
<b>Diesel Mechanics</b>									
CE-TDL-5	Diesel Mechanics Lab		4,000					0	0
<b>Power Equipment Technology</b>									
CE-TDL-6	Power Equipment Technology Lab		3,000					0	0
<b>Related Spaces</b>									
CE-TDL-7	Classroom		850					0	0
CE-TDL-8	Office		120					0	0
CE-TDL-9	Storage		200					0	0
			<b>TOTALS</b>	0	0	0	0	0	0

**ARKANSAS SCHOOL FACILITY MANUAL  
PROGRAM OF REQUIREMENTS  
REQUIRED SPACES NOTES**

Form Printed  
6/18/2015

REQUIRED SPACES		STANDARD SIZE	Notes
Space	Square Feet		
<b>ACADEMIC CORE</b>			
E-AC-3	Kindergarten Classroom	1000	Maximum class size 20 students
E-AC-4	Kindergarten Restroom	45	One per kindergarten classroom
E-AC-5a	Elem Classroom Grades 1-3	850	Maximum class size 25 students
E-AC-5b	Elem Classroom Grades 4-5	850	Maximum class size 28 students
M-AC-1a	MS Classroom Grade 6	850	Maximum class size 28 students.
M-AC-1b	MS Classroom Grades 7-8	850	Maximum class size 30 students.
M-CE-1	Workforce Development	1,300	Two required for 700 or more students.
H-AC-1	HS Classroom	850	Maximum class size 30 students.
H-AC-2	Science Clrm/Lab-Gen/Physics	1,440	Minimum one plus one per each 500 students
H-AC-3	Science Clrm/Lab-Chemistry	1,440	One per each 500 students above 1,000 students.
H-AC-4	Science Clrm/Lab-Biol/Life Sci	1,440	One minimum to 1000 students. Additional for each 500 above 1000 students.
H-AC-5	Science Prep	300	
H-AC-11	Chemical Storage	150	One minimum. Two above 1500 students.
H-AC-12	Multi-Use Room	1,500	
H-AC-13	Instructional Multi-Purpose Rm	850	
H-AC-8	Project Lab/Classroom	1,100	One minimum to 1000 students. Additional for each 500 above 1000 students.
E-MC-1	Reading Room/Circulation	Computed	10% of the student capacity multiplied by 35 SF per student.
E-MC-4	Computer Lab	900	
M/H-MC-1	Reading Room/Circulation	Computed	10% of the student capacity multiplied by 40 SF per student.
M-MC-4	Media Center Computer Lab	900	
E-VA-1	Art Room	1200	Required for 550 or more students.
E-VA-3	Art Material Storage	80	Required for 550 or more students.
E-AC-10	Fine Arts Instruction Room	1,200	Substituted for Art and Music Room in ES with less than 550 students
E-AC-11	Fine Arts Instruction Storage	100	Substituted for Art and Music Storage in ES with less than 550 students
M-VA-1	Art Room	1200	
H-VA-1	Art Room	1200	Minimum one, plus one for each 500 students
M/H-VA-3	Art Material Storage	100	
E-MU-1	Music Room	1,200	Required for 550 or more students.
E-MU-2	Music Storage	100	Required for 550 or more students.
M-MU-2	Music Storage	100	Required for 550 or more students.
M/H-MU-1	Instrumental Room	1,400	Minimum one plus additional room for more than 1000 students.
H-MU-2	Instrument Storage	Computed	Minimum 200 SF. One-half SF per student.
M-MU-8	Vocal Room	1,200	Required for 700 or more students
H-MU-8	Vocal Room	1,200	Minimum one for 500 students plus additional room for more than 2000 students.
H-MU-9	Vocal Storage	150	One per vocal room.
E-PE-1	PE Area	Computed	10 SF per student. Minimum 2,500 SF, Maximum 10,000 SF. Minimum single space size 900 SF.
M-PE-1	PE Area	Computed	15 SF per student. Minimum 4,000 SF, Maximum 10,000 SF. Minimum single space size 900 SF.
H-PE-1	PE Area	Computed	15 SF per student. Min 6,000 SF, Max 30,000 SF. Includes aux gym above 1000 students. Minimum 900 SF.
H-PE-3	Student Locker Room	Computed	Minimum 2 @ 400 SF. Maximum 6 @ 850 SF.
H-PE-4	Student Restroom/Shower	Computed	Minimum 2 @ 150 SF. Maximum 6 @ 350 SF.
H-CE	Career Education Program One	Varies	Total. Minimum 8,000 SF. Maximum 23,000 SF. 15 SF/student.
H-CE	Career Education Program Two	Varies	
H-CE	Career Education Program Three	Varies	
<b>SPECIAL EDUCATION</b>			
E/M/H-SE-1	Self-contained Classroom	850	Two required for 1,000 students and above.
E/M/H-SE-2	Workroom/Conference	150	Two required for 1,000 students and above.
E/M/H-SE-3	Restroom/Shower	100	Two required for 1,000 students and above.
E/M/H-SE-4	Special Education/Resource	450	Two required for 1,000 students and above.
E/M/H-SE-5	Speech Therapy	475	Two required for 1,000 students and above.
E/M/H-SE-7	OT/PT	350	Two required for 1,000 students and above.
E-GT-1	Gifted and Talented	850	
<b>ADMINISTRATIVE SPACES</b>			
E/M/H-AD-3	Principal's Office	150	
E/M/H-AD-4	Assistant Principal's Office	120	Required for 500 or more students.
E/M/H-AD-11	Guidance Counselor's Office	120	Minimum 1. Must maintain ratio of 1:450
E/M/H-AD-15	Health Center	250	
<b>PERFORMING ARTS</b>			
H-PA-1	Auditorium	Computed	Minimum 1500 SF. 5 SF per 9-12 student.
H-PA-3	Stage Area (includes wings)	Computed	Minimum 600 SF. 2 SF per 9-12 student.
<b>STUDENT DINING</b>			
E/M/H-SD-1	Student Dining	Computed	One-half of the student capacity multiplied by 15 SF per student.
<b>FOOD SERVICE</b>			
E/M/H-FS-1	Warming Kitchen	Computed	2 SF per student.
E/M/H-FS-2	Kitchen (total)	Computed	Equal to sum of areas for preparation, serving, dry food storage, cooler/freezer, and ware washing.
E/M/H-FS-2a	Preparation Area	Computed	Student capacity multiplied by 3.5 SF per student multiplied by 36%.
E/M/H-FS-2b	Serving Area	Computed	Student capacity multiplied by 3.5 SF per student multiplied by 34%.
E/M/H-FS-2c	Dry Food Storage	Computed	Student capacity multiplied by 3.5 SF per student multiplied by 11%.
E/M/H-FS-2d	Cooler/Freezer	Computed	Student capacity multiplied by 3.5 SF per student multiplied by 10%.
E/M/H-FS-2e	Ware Washing	Computed	Student capacity multiplied by 3.5 SF per student multiplied by 9%.
<b>BUILDING SERVICES</b>			
E/M/H-CU-1	Workroom	Computed	0.5 SF per student. Minimum 125 SF.
E/M/H-MultiSt	Vertical Circulation	Computed	Vertical Circulation for Multi-Story Schools
E/M/H-BS-1	Large Group Restrooms	Computed	Equal to the sum of the program areas, excluding building services, multiplied by 3%.
E/M/H-BS-2	Custodial Closet	50	
E/M/H-BS-3	Electrical Closet	50	
E/M/H-BS-4	Telecommunications Room	64	
E/M/H-BS-5	Corridors/Circulation	Computed	Equal to the sum of the program areas, excluding building services, multiplied by 20%.
E/M/H-BS-6	Mech/Elect Space/Decks	Computed	Equal to the sum of the program areas, excluding building services, multiplied by 5.5%.
E/M/H-BS-7	Storage Area	150	
E/M/H-BS-8	Central Storage Area	150	
E/M/H-BS-9	Loading/Receiving Area	100	
E/M/H-BS-10	Main Cross-connect	150	